

X*PERT[™] Series Roller Grills

As a premier manufacturer of roller grill systems, APW Wyott provides a wide range of grills well suited to almost any merchandising requirement. Our attractive Roller Grills feature easy-to-use electrical controls, convenient integrated holding drawers and a number of additional features that enable retailers to create the ideal solution for their specific roller grill need.

X*PERT[™] Series Flat HotRod[®] Roller Grills

The Hotrod[®] Roller Grills are available with chrome or “Tru-Turn” non-stick rollers. Fully adjustable infinite controls and Polytetrafluoroethylene grease seals to keep mechanism clean. Note: 7/16” space between rollers.

If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 70.



HR-30



X*PERT Series Flat HotRod Roller Grills

Model	Part #	Electric	Dimensions	Weight (lbs)	
Flat Chrome Surface Rollers					
HR-20	3A-HR20F-120	120V, 750W, 6.3 Amps	9 1/8”H x 17 1/4”W x 18 5/8”D	35	
HR-31	3A-HR31F-120	120V, 975W, 8.1 Amps	9 1/8”H x 23 3/4”W x 18 5/8”D	42	
HR-31	3A-HR31F-240	208-240V, 1160-1550W, 5.6-6.5 Amps	9 1/8”H x 23 3/4”W x 18 5/8”D	42	
HR-45	3A-HR45F-120	120V, 1450W, 12.1 Amps	9 1/8”H x 23 3/4”W x 29 9/16”D	46	
HR-50	3A-HR50F-120	120V, 1400W, 11.7 Amps	9 1/8”H x 34 3/4”W x 18 5/8”D	55	
HR-50	3A-HR50F-240	208-240V, 1260-1670W, 6.1-7 Amps	9 1/8”H x 34 3/4”W x 18 5/8”D	55	
HR-75 **	3A-HR75F-120	120V, 1000W, 8.3 Amps	9 1/8”H x 34 3/4”W x 29 9/16”D	87	
HR-75	3A-HR75F-240	208-240V, 1800-2400W, 8.7-10 Amps	9 1/8”H x 34 3/4”W x 29 9/16”D	110	
HR-85	3A-HR85F-240	208-240V, 2000-2700W, 9.6-11.3 Amps	9 1/8”H x 34 3/4”W x 29 9/16”D	110	
Tru-Turn Surface Rollers					
HRS-20	3A-HRS20F-120	120V, 750W, 6.3 Amps	9 1/8”H x 17 1/4”W x 18 5/8”D	35	
HRS-31	3A-HRS31F-120	120V, 975W, 8.1 Amps	9 1/8”H x 23 3/4”W x 18 5/8”D	42	
HRS-31	3A-HRS31F-240	208-240V, 1160-1550W, 5.6-6.5 Amps	9 1/8”H x 23 3/4”W x 18 5/8”D	42	
HRS-45	3A-HRS45F-120	120V, 1450W, 12.1 Amps	9 1/8”H x 23 3/4”W x 29 9/16”D	46	
HRS-50	3A-HRS50F-120	120V, 1400W, 11.7 Amps	9 1/8”H x 34 3/4”W x 18 5/8”D	55	
HRS-50	3A-HRS50F-240	208-240V, 1260-1670W, 6.1-7 Amps	9 1/8”H x 34 3/4”W x 18 5/8”D	55	
HRS-75 **	3A-HRS75F-120	120V, 1000W, 8.3 Amps	9 1/8”H x 34 3/4”W x 29 9/16”D	87	
HRS-75	3A-HRS75F-240	208-240V, 1800-2400W, 8.7-10 Amps	9 1/8”H x 34 3/4”W x 29 9/16”D	110	
HRS-85	3A-HRS85F-240	208-240V, 2000-2700W, 9.6-11.3 Amps	9 1/8”H x 34 3/4”W x 29 9/16”D	110	

***Not CUL Approved (2 power cords), 60hz, 1phase*



HRS-75

X*PERT™ Series Slanted HotRod® Roller Grills

Great Merchandising grill that builds product appetite appeal by facing products toward the customer. The Slanted Hotrod® Roller Grills come in chrome or “TRU-turn” non-stick rollers. If shipping via air freight, dimensional weights apply. Backed by APW’s One Year Warranty. FOB APW Dock, freight class 70.



HRS-20S
UL LISTED cUL US

X*PERT Series Slanted HotRod Roller Grills

Model	Part #	Electric	Dimensions	Weight (lbs)	
Flat Chrome Surface Rollers					
HR-20S	3A-HR20S-120	120V, 690W, 5.8 Amps	11 3/4”H x 17 1/4”W x 18 5/8”D	35	
HR-31S	3A-HR31S-120	120V, 890W, 7.4 Amps	11 3/4”H x 23 3/4”W x 18 5/8”D	42	
HR-31S	3A-HR31S-240	208-240V, 1065-1420W, 5.1-5.9 Amps	11 3/4”H x 23 3/4”W x 18 5/8”D	42	
HR-50S	3A-HR50S-120	120V, 1300W, 10.8 Amps	11 3/4”H x 34 3/4”W x 18 5/8”D	55	
HR-50S	3A-HR50S-240	208-240V, 1150-1500W, 6.2-7 Amps	11 3/4”H x 34 3/4”W x 18 5/8”D	55	
Tru-Turn Surface Rollers					
HRS-20S	3A-HRS20S-120	120V, 690W, 5.8 Amps	11 3/4”H x 17 1/4”W x 18 5/8”D	35	
HRS-31S	3A-HRS31S-120	120V, 890W, 7.4 Amps	11 3/4”H x 23 3/4”W x 18 5/8”D	42	
HRS-31S	3A-HRS31S-240	208-240V, 1065-1420W, 5.1-5.9 Amps	11 3/4”H x 23 3/4”W x 18 5/8”D	42	
HRS-50S	3A-HRS50S-120	120V, 1300W, 10.8 Amps	11 3/4”H x 34 3/4”W x 18 5/8”D	55	
HRS-50S	3A-HRS50S-240	208-240V, 1150-1500W, 6.2-7 Amps	11 3/4”H x 34 3/4”W x 18 5/8”D	55	

CE and Export Models

The same detail-oriented design and craftsmanship that go into our domestic roller grills can be found in our export models as well. The CE and Export Roller Grills are available with either chrome or “TRU-turn” non-stick rollers. Simple to use controls and easy-clean surfaces make these roller grills ideal for merchandising and self-serve applications. Backed by APW’s One Year Warranty. FOB APW Dock, freight class 70.



HR-50
CE

X*PERT Series CE and Export HotRod Roller Grill Models

Model	Part #	Electric	Dimensions	Weight (lbs)	
Flat Chrome Surface Rollers					
HR-31 (export)	3A-HR31F-230	230V,990W, 4.5 Amps	8 1/2”H x 23 3/4”W x 18 5/8”D	42	
HR-50 (export)	3A-HR50F-240	208/240V,1260/1665W, 6.2/7.0 Amps	8 1/2”H x 34 3/4”W x 18 5/8”D	55	
HR-75 (export)	3A-HR75F-UK	230V,1665W, 50 Hz	8 1/2”H x 34 3/4”W x 29 9/16”D	110	
Slanted Chrome Surface Rollers					
HR-31S (export)	3A-HR31S-240	208/240V, 905W, 4 Amps	11 3/4”H x 23 3/4”W x 18 5/8”D	42	
HR-50S (export)	3A-HR50S-240	208/240V, 1260/1665W, 6.2/7.0 Amps	11 3/4”H x 34 3/4”W x 18 5/8”D	55	
Flat Tru-Turn Surface Rollers					
HRS-31 (export)	3A-HRS31F-230	230V, 895W, 4.3 Amps	8 1/2”H x 23 3/4”W x 18 5/8”D	42	
HRS-50 (export)	3A-HRS50F-230	230V,1260W, 6.2 Amps	8 1/2”H x 34 3/4”W x 18 5/8”D	55	
HRS-75 (export)	3A-HRS75F-UK	208V,1260W, 10.2 Amps	8 1/2”H x 34 3/4”W x 29 9/16”D	110	
Slanted Tru-Turn Surface Rollers					
HRS-31S (export)	3A-HRS31S-240	208/240V, 895/1152W, 4.3/4.8 Amps	11 3/4”H x 23 3/4”W x 18 5/8”D	42	
HRS-50S (export)	3A-HRS50S-240	208/240V, 1260/1665W, 6.2/7.0 Amps	11 3/4”H x 34 3/4”W x 18 5/8”D	55	

Sneeze Guards Molded self-serve Sneeze Guards provide food safety while maintaining clear visibility to the hot dogs, building appetite appeal with customers. Sneeze guards also maintain heat within roller area. Options include single door access or dual door versions. If shipping via air freight, dimensional weights apply. FOB APW Dock, freight class 125.

Sneeze Guards

Model	Part #	Dimensions	Weight (lbs)	
Single Door Sneeze Guards				
SG-20	3A-20APWSG-1D	9"H x 18 7/8"W x 19 1/2"D	5	
SG-31	3A-31APWSG-1D	9"H x 24 1/4"W x 19 1/2"D	6	
SG-50	3A-50APWSG-1D	9"H x 35 1/2"W x 19 1/2"D	9	
SG-75/85	3A-85APWSG-2D	9"H x 35 1/2"W x 30 21/32"D	15	
SG-75W	3A-75APWSG-1D	One Door	15	
Dual Door Sneeze Guards				
SG-45DD	3A-45APWSG-2D	9"H x 24 1/2"W x 30 21/32"D	10	
Pass Through Canopy Style with Metal Frame				
SG-31XP	3A-31APWSGS	8"H x 26 1/2"W x 19 13/64"D	10	
SG-50XP	3A-50APWSGS	8"H x 37 1/2"W x 19 13/64"D	13	
SG-75/85XP	3A-85APWSGS	8"H x 37 1/2"W x 30 1/2"D	17	
Pass Through Canopy Style with Metal Frame and Enclosed Sides				
SG-31XPC	3A-31APWSGSS	8"H x 26 1/2"W x 19 13/64"D	12	
SG-50XPC	3A-50APWSGSS	8"H x 37 1/2"W x 19 13/64"D	12	
SG-75XPC	3A-75APWSGSS	8"H x 37 1/2"W x 30 1/2"D	20	
Replacement Doors				
SG-20	AS-21805420	Replacement Door for SG-20	1	
SG-31	AS-21805430	Replacement Door for SG-31	1	
SG-50	AS-21805450	Replacement Door for SG-50	1	



Accessories/Options Expand the merchandising capabilities of Hotrod® roller grills with certified APW accessories and options.

Roller Grill Accessories/Options

Description	Part #	
4" Metal Leg Kit	3A-4939100	
6" Plastic Tongs	2P-3029200	
9" Plastic Tongs and Tong Holder	3A-APWTHU	
Front Cover and Decal for Control (HR-31/HRS-31)	3A-31APWFC	
Front Cover and Decal for Control (HR-50/HRS-50)	3A-50APWFC	
HR-20 Kit Divider	3A-20APWDK	
HR-20 Slant Kit Divider	3A-20SAPWDK	
HR-31 Kit Divider	3A-31APWDK	
HR-31 Slant Kit Divider	3A-31SAPWDK	
HR-45 Kit Divider	3A-45APWDK	
HR-50 Kit Divider	3A-50APWDK	
HR-50 Slant Kit Divider	3A-50SAPWDK	
HR-75/85 Kit Divider	3A-85APWDK	

Concession Equipment

Whether keeping grilled foods warm, buns fresh and moist or condiments cool, APW Wyott's comprehensive line of concession equipment is designed for safe food handling, simplicity of use and durable, long-lasting performance. Easy-to-clean stainless steel surfaces, simple, intuitive controls and attention-grabbing merchandising graphics make these products ideal for any retail operation.

X*PERT™ Series SPTU Thermo-Drawer

SPTU Thermo-Drawer features easy to use controls, large deep drawer and slim design. Drawer removes easily for cleaning. Patent pending innovative heating system holds product for up to 6 hours. X*PERT™ Series Thermo-drawer is the perfect complement to your roller grill. It will improve customer satisfaction with hot, fresh, quality food in a timely fashion. It will improve your overall operations by minimizing waste and reducing labor all while adhering to HACCP food safety standards. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



X*PERT Series (SPTU) ThermoDrawers

Model	Part #	Electric	Dimensions	Weight (lbs)	
SPTU-30	3A-SPT30-120	120V, 4.125 Amps	4 3/4"H x 23 3/4"W x 19 1/4"D	55	
SPTU-30	3A-SPT30-240	208/240V, 2.1/2.4 Amps	4 3/4"H x 23 3/4"W x 19 1/4"D	55	
SPTU-30N	3A-SPT30N-120	120V, 3 Amps	4 3/4"H x 19 1/4"W x 19 1/4"D	55	
SPTU-30N	3A-SPT30N-240	208/240V, 1.6/1.8 Amps	4 3/4"H x 19 1/4"W x 19 1/4"D	55	
SPTU-50	3A-SPT50-120	120V, 5.8 Amps	4 3/4"H x 34 3/4"W x 19 1/4"D	80	
SPTU-50	3A-SPT50-240	208/240V, 3/3.5 Amps	4 3/4"H x 34 3/4"W x 19 1/4"D	80	
SPTU-50N	3A-SPT50N-120	120V, 5.8 Amps	4 3/4"H x 30 1/4"W x 19 1/4"D	80	
SPTU-50N	3A-SPT50N-240	208/240V, 3/3.5 Amps	4 3/4"H x 30 1/4"W x 19 1/4"D	80	
Options					
Divider kit for SPTU-30	3A-30APWSPTUDK	Divider Kit (SPTU-30)			
Divider kit for SPTU-50	3A-50APWSPTUDK	Divider Kit (SPTU-50)			

Bun Cabinets

Bun Cabinets conveniently hold unheated buns under the roller grill in easy reach of customers or clerk. The standard cabinet features stainless steel body with clear lift-up Plexiglass doors, for product visibility and easy accessibility. Drawer model is a full stainless steel unit with sliding door. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 85.



Bun Cabinets

Model	Part #	BUN CAPACITY	Dimensions	Weight (lbs)	
BC-20	3A-BC20	50 bun capacity	6 3/8"H x 17 3/16"W x 18 5/8"D	16	
BC-31	3A-BC31	100 bun capacity	6 3/8"H x 23 11/16"W x 18 5/8"D	22	
BC-50	3A-BC50	144 bun capacity	6 3/8"H x 34 11/16"W x 18 5/8"D	29	
Bun Cabinet with Drawer					
BC-31D	3A-BCD31	100 bun capacity	6 3/8"H x 22 11/16"W x 18 5/8"D	26	
BC-50D	3A-BCD50	144 bun capacity	6 3/8"H x 34 11/16"W x 18 5/8"D	40	

Bun Warmers

The Bun Warmers provide gentle warmth keeping buns at an ideal temperature and texture for the perfect hot dog. The BW-20, BW-31, BW-50 are drawer-type bun warmers. Drawer type versions have a stainless steel bun pan that has sliding lid and infinite temperature control for optimal warmth. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



Bun Warmers

Model	Part #	BUN CAPACITY	Electric	Dimensions	Weight (lbs)	
BW-20	3A-BW20-120	36 bun cap.	120V, 500W, 4.2 Amps	10 5/8"H x 17 3/4"W x 22 1/8"D	49	
BW-31	3A-BW31-120	72 bun cap.	120V, 400W, 3.3 Amps	10 5/8"H x 23 3/4"W x 22 1/8"D	60	
BW-50	3A-BW50-120	100 bun cap.	120V, 600W, 5 Amps	10 5/8"H x 34 3/4"W x 22 1/8"D	86	
CE + Export Models						
BW-31 220V	3A-BW31-220	72 bun cap.	220V, 400W, 1.8 Amps	10 5/8"H x 23 3/4"W x 22 1/8"D	60	
BW-50 220V	3A-BW50-220	100 bun cap.	220V, 600W, 2.7 Amps	10 5/8"H x 34 3/4"W x 22 1/8"D	86	

Bun Warmers, Dry

The Bun Warmer Dry (Heated) is designed to complement our best selling roller grills and provide gentle warmth for buns, keeping them an ideal temperature and texture for the perfect hot dog. Available in a variety of sizes to fit your counter space: BWD-31 and BWD-50 (Use with HR(S)-31(S)- 50(S) Roller Grills); BWD-45 and BWD-75 with spacer (Use with HR(S)-45(S)-75(S) Roller Grills); BWD-75N (Use to fit between legs of HR(S)-75(S) Roller Grills with 6" Legs). Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



Bun Warmers, Dry

Model	Part Number	BUN CAPACITY	Electric	Dimensions	Weight (lbs)	
BWD-31	3A-BWD31-120	24 bun capacity	120v, 200w, 1.7 Amps	6"H x 23 3/4"W x 19 9/16"D	65	
BWD-31	3A-BWD31-208	24 bun capacity	208v, 200w, 1.1 Amps	6"H x 23 3/4"W x 19 9/16"D	65	
BWD-45	3A-BWD45-120	24 bun capacity	120v, 200w, 1.7 Amps	6"H x 23 3/4"W x 30 1/2"D	68	
BWD-45	3A-BWD45-208	24 bun capacity	208v, 200w, 1.1 Amps	6"H x 23 3/4"W x 30 1/2"D	68	
BWD-50	3A-BWD50-120	40 bun capacity	120v, 200w, 1.7 Amps	6"H x 34 3/4"W x 19 9/16"D	91	
BWD-50	3A-BWD50-208	40 bun capacity	208/240v, 200/265w, 1.1 Amps	6"H x 34 3/4"W x 19 9/16"D	91	
BWD-75N	3A-BWD75N-711	32 bun capacity	208/240v, 200/265w, 1.1 Amps	6"H x 31 3/4"W x 19 9/16"D	98	
BWD-75	3A-BWD75-240	40 bun capacity	208v, 200w, 1.1 Amps	6"H x 34 3/4"W x 19-9/16"D	98	

Refrigerated Topping Rails

Refrigerated countertop system keeps everything at NSF safe temperatures.

The **RTR-8** holds eight 1/6th size pans, the upper section holds (4) 6" deep pans and the lower section holds (4) 4" deep pans.

The **RTR-4** holds four pans 1/6th size, (4) 6" deep pans.

Each pan has its own hinged, removable cover. All stainless steel construction and 1/2" non-adjustable legs. Cold wall refrigeration system utilizing a 1/5 hp compressor. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 70.



RTR-8



Refrigerated Topping Rails

Model	Part #	Electric	Dimensions	Weight (lbs)	
RTR-4	3O-21876000	120V, 360W, 60 Hz, 1 Ph, 3 Amps	17"W x 25 5/16"D x 11 7/16"H	78	
RTR-8	3O-31701012	120V, 480W, 60 Hz, 1 Ph, 4 Amps	27 1/2"W x 25 13/16"D x 8 1/2"H	108	
Options					
COMP-5	3O-COMP5	5-year Compressor Warranty (Net Price)			
4" Metal Leg Kit for RTR	3A-4939100	4" Metal Leg Kit for RTR		2	
12" Divider Bar for RTR	AS-21807560	12" Divider Bar for RTR		2	
20" Divider Bar for RTR	AS-21807565	20" Divider Bar for RTR		2	



RTR-4