

## Energy Saving, Radiant Conveyor & Bun Grill Contact Toasters

APW's eco-friendly, ECO-4000 Radiant Conveyor Toasters reduce energy consumption while saving money and delivering superior toasting capability. APW's Bun Grill toasters are made with removable side panels for easy service access. All APW Toasters are constructed of stainless steel with durable metal-sheathed heating elements, high-temperature insulation, wiring and bearings to guarantee dependability and durability.

### ECO-4000 Energy Saving Toaster

The ECO-4000 was designed from the ground up to start fast, save electricity, produce perfect toast, and work well in the front or back of the house. It saves approximately 40% more energy than competitive products, with programmable electronic intelligence that gives "toast now" rapid response, adjustable cycling for any quantities or types of toasting products.

Bread, bagels, muffins, you name it - the ECO-4000 can toast it to perfection. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.

E = Digital

L = Analog



tray not pictured



tray not pictured



### ECO-4000 Energy Saving Radiant Conveyor Toaster

Model	Part #	Controls	Electric	Dimensions	Weight (lbs)
ECO4000 350E	3T-E4-350E120	Digital	120V, 1725W, 14.4 Amps	15 1/16"H X 14 13/16"W X 23 1/2"D	54
ECO4000 350L	3T-E4-350L120	Analog	120V, 1725W, 14.4 Amps	15 1/16"H X 14 13/16"W X 23 1/2"D	54
ECO4000 500E	3T-E4-500E208	Digital	208V, 2800W, 13.6 Amps	15 1/16"H X 14 13/16"W X 23 1/2"D	54
ECO4000 500E	3T-E4-500E240	Digital	240V, 2800W, 11.7 Amps	15 1/16"H X 14 13/16"W X 23 1/2"D	54
ECO4000 500L	3T-E4-500L208	Analog	208V, 2800W, 13.6 Amps	15 1/16"H X 14 13/16"W X 23 1/2"D	54
ECO4000 500L	3T-E4-500L240	Analog	240V, 2800W, 11.7 Amps	15 1/16"H X 14 13/16"W X 23 1/2"D	54
E = Digital; L = Analog			Ships FOB Smithville, TN		

### AT Express Radiant Conveyor Toasters

The AT Express small footprint toaster is standard with front loading, variable speed control, superfeeder, and 11/2" high product opening. 10" wide conveyor belt. Produces over 300 slices per hour. If shipping via air freight, dimensional weights apply. Backed by APW's Two Year Warranty. FOB APW Dock, freight class 100.



### AT Express Radiant Conyveyor Toasters

Model	Part #	Electric	Dimensions	Weight (lbs)
AT EXPRESS 120v	3T-AT1725-120	120V, 1725W, 14.4 Amps, 60hz	13 9/32"H x 14 3/4"W x 18"D	35
AT EXPRESS 208v	3T-AT1725-208	208V, 1725W, 8.3 Amps, 60hz	13 9/32"H x 14 3/4"W x 18"D	35
AT EXPRESS 240v	3T-AT1725-240	240V, 1725W, 7.2 Amps, 60hz	13 9/32"H x 14 3/4"W x 18"D	35
Ships FOB Smithville, TN				

### X\*TREME® (XTRM-1) Radiant Conveyor Toasters

X\*TREME®-1 Radiant Conveyor Toaster is standard with variable speed control, superfeeder, and 1-1/2" high product opening. 10" wide conveyor belt. Produces over 350 slices per hour. Power Saver Switch and lighted rocker switches. Special Cool to the Touch guards in the front and Cool to the Touch surfaces. If shipping via air freight, dimensional weights apply. Backed by APW's Two Year Warranty. FOB APW Dock, freight class 100.



tray not pictured



### X\*TREME (XTRM-1) Radiant Conveyor Toasters

Model	Part #	Electric	Dimensions	Weight (lbs)	
XTRM-1 120v	3T-X1-120	120V, 1725W, 14.4 Amps, 60hz	13 1/4"H x 15 3/6"W x 17 3/4"D	35	
XTRM-1 208v	3T-X1-208	208V, 1725W, 8.2 Amps, 60hz	13 1/4"H x 15 3/6"W x 17 3/4"D	35	
XTRM-1 240v	3T-X1-240	240V, 1725W, 7.2 Amps, 60hz	13 1/4"H x 15 3/6"W x 17 3/4"D	35	
Ships FOB Smithville, TN					

### X\*TREME® (XTRM-2) 10" Wide Radiant Conveyor Toasters

The XTRM-2 10" Wide Radiant Conveyor Toaster incorporates all of the advanced features of the leading toaster line and combines it with a stylized exterior. Produce toast in less than 30 seconds, for more than 800 slices of toast per hour! Variable speed controls combined with top and bottom heat controls give you "X-treme" versatility to handle all types of breads, muffins or bagels. Super feeder and power saver stand-by control are standard. Thermostatically controlled fan combined with high temperature insulation provide the maximum safety for your employees. Available in a 1 1/2" or 3" opening. Specify voltage. If shipping via air freight, dimensional weights apply. Backed by APW's Two Year Warranty. FOB APW Dock, freight class 100.



### X\*TREME (XTRM-2) Radiant Conveyor Toasters

Model	Part #	Electric	Dimensions	Weight (lbs)	
<b>Standard Opening</b>					
XTRM-2 208v	3T-X2-208	208V, 2840W, 13.7 Amps	14 3/4"H x 15 5/8"W x 23 21/64"D	50	
XTRM-2 240v	3T-X2-240	240V, 2840W, 11.8 Amps	14 3/4"H x 15 5/8"W x 23 21/64"D	50	
<b>3" High Opening</b>					
XTRM-2H 208v	3T-X2H-208	208V, 2840W, 13.7 Amps	14 3/4"H x 15 5/8"W x 23 21/64"D	54	
XTRM-2H 240v	3T-X2H-240	240V, 2840W, 11.8 Amps	14 3/4"H x 15 5/8"W x 23 21/64"D	54	
<b>Optional Stacking Kit for XTRM-2 toasters</b>					
Stacking Kit (XTREME 2)	3T-XTRM2-STKKI			5	
Ships FOB Smithville, TN					

## X\*TREME® (XTRM-3) 13" Wide Radiant Conveyor Toasters

XTRM-3 Radiant Conveyor Toaster provides a 13" "X-treme" wide opening to allow 3-slices of toast to pass at one time, in less than 30 seconds, for more that 1000 slices of toast per hour! Variable speed controls combined with top and bottom heat controls give you "X-treme" versatility to handle all types of breads, bagels or muffins. Super feeder and power saver stand-by control are standard. Thermostatically controlled fan combined with high temperature insulation provide the maximum safety for your employees. Available in a 1 1/2" or 3" opening. Specify voltage. If shipping via air freight, dimensional weights apply. Backed by APW's Two Year Warranty. FOB APW Dock, freight class 100.



## X\*TREME (XTRM-3) Radiant Conveyor Toasters

Model	Part #	Electric	Dimensions	Weight (lbs)	
<b>Standard Opening</b>					
XTRM-3 208v	3T-X3-208	208V, 3340W, 16 Amps	14 3/4"H x 18 5/8"W x 23 21/64"D	56	
XTRM-3 240v	3T-X3-240	240V, 3340W, 14 Amps	14 3/4"H x 18 5/8"W x 23 21/64"D	56	
<b>3" High Opening</b>					
XTRM-3H 208v	3T-X3H-208	208V, 3340W, 16 Amps	15 3/4"H x 18 5/8"W x 23 21/64"D	62	
XTRM-3H 240v	3T-X3H-240	240V, 3340W, 14 Amps	15 3/4"H x 18 5/8"W x 23 21/64"D	62	
<b>Optional Stacking Kit for XTRM-3 toasters</b>					
Stacking Kit (XTREME 3)	3T-XTRM3-STKKIT			5	
Ships FOB Smithville, TN					



XTRM-1



XTRM-2H

## M-95 Bun Grill Toasters

M-95 bun grill toasters are available in two standard models with built-in extended grill. Optional gear speeds allow grilling 1000 bun-halves per hour. For M-95, specify slow gear (85 seconds) to fast gear (35 seconds) when ordering. Internal cooling fan keeps components cool for longer life. For dry toasting applications, PTFE sheet must be used. Super feeder included. Cannot ship UPS. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



## M-95 Vertical Bun Grill Toasters

Model	Electric	Gears	Dimensions	Ship Weight (lbs)	
<b>M-95-2</b>	120V, 1800, 15.0 Amps	<b>35, 45, 55</b>	28 15/16"H x 21 5/8"W x 16 5/16"D	97	
	208V, 2780W, 13.4 Amps	<b>35 or 55</b>	28 15/16"H x 21 5/8"W x 16 5/16"D	97	
	240V, 2780W, 11.6 Amps	<b>35 or 55</b>	28 15/16"H x 21 5/8"W x 16 5/16"D	97	
<b>M-95-3</b>	120V, 1800, 15.0 Amps	<b>35, 45, 55</b>	30 1/2"H x 24 1/2"W x 17 1/2"D	105	
	208V, 2780W, 13.4 Amps	<b>35, 45, 55</b>	30 1/2"H x 24 1/2"W x 17 1/2"D	105	
	240V, 2780W, 11.6 Amps	<b>35, 45, 55</b>	30 1/2"H x 24 1/2"W x 17 1/2"D	105	
<b>Export Model</b>					
<b>M-95-2</b>	230V, 50Hz, 2550W, 11.1 Amps	<b>35 or 55</b>	28 15/16"H x 21 5/8"W x 16 5/16"D	97	
<b>M-95-3</b>	230V, 50Hz, 2550W, 11.1 Amps	<b>35</b>	30 1/2"H x 24 1/2"W x 17 1/2"D	105	
<b>Options for M-95 toasters</b>					
Description			Part #	Ship Weight (lbs)	
<b>M-95-2 Bun slide</b>	Collects buns (for M-95-2)		3T-M2-BUNSLIDE	12	
<b>M-95-2 PTFc Sheet Kit</b>	for wet or dry operation. 10-sheets per kit. 11 3/4" x 35"		3T-M2-PTFEKIT	4	
<b>M-95-3 Bun slide</b>	Collects buns (for M-95-3)		3T-M3-BUNSLIDE	12	
<b>M-95-3 PTFc Sheet Kit</b>	for wet or dry operation. 10-sheets per kit. 15" x 35"		3T-M3-PTFEKIT	4	
<b>55 Second Gear Kit</b>			PS-PS0007	4	
Ships FOB Smithville, TN					



M-95-2