

# IMC VULTURE 1204 FLOOR-MOUNTED FOOD WASTE DISPOSER - 3 PHASE [4 WIRE] - W 514 MM - 2.2 KW

MODEL: F54/220



Fast and efficient, the 1204 Waste Disposer enables large kitchens to remove waste quickly and simply. It is able to dispose of 700kg of food waste per hour and handles up to 1450 covers per sitting, making it ideal for larger hotels, hospitals, universities, prisons and food preparation companies.

The 1204 Waste Disposer is suitable for tough waste - red meat bones, cauliflower stalks and fish skins. The free-standing unit can be welded into tabling with a E30/096 hopper rim, making it quick and easy to load, saving staff time and labour.

With a smooth stainless steel finish, the 1204

#### **PRODUCT FEATURES**

- Fast and efficient disposal of up to 700kg of food waste per hour.
- Handles up to 1450 covers per sitting ideal for large kitchens.
- For tough waste (red meat bones, cauliflower stalks and fish skins).
- Free-standing design, but can be welded into tabling with E30/096 hopper rim.
- Manually reversible motor to extend operational life.
- Suitable for large kitchens with three-phase, four-wire power supply.







# IMC VULTURE 1204 FLOOR-MOUNTED FOOD WASTE DISPOSER - 3 PHASE [4 WIRE] - W 514 MM - 2.2 KW

MODEL: F54/220

| WEIGHTS & DIMENSIONS |         |
|----------------------|---------|
| Width                | 514 mil |
| Depth                | 740 mil |
| Height               | 850 mil |
| Weight               | 74 kg   |

| SHIPPING DETAILS           |                         |
|----------------------------|-------------------------|
| Ship Width                 | 79 cm                   |
| Ship Depth                 | 54 cm                   |
| Ship Height                | 105 cm                  |
| Ship Weight                | 81.4 kg                 |
| Number of Shipment Parcels | 1                       |
| Shipping Origin Zip Code   | LN6 3QZ, UNITED KINGDOM |
| Quick Ship Product         | No                      |
| Returnable Item            | No                      |

### **PRODUCT CERTIFICATIONS**



| ENERGY SPECS               |             |
|----------------------------|-------------|
| Primary Energy Source Type | Electricity |
| Electrical Amps            | 4.8         |
| Electrical Voltage         | 400         |
| Electrical Watts           | 2200        |
| Electrical Phase           | Three       |
| Kilowatts                  | 2.2 kW      |

| 1                |
|------------------|
| Direct Hardwired |
| Hardwired        |
| Not Applicable   |
| Yes              |
| No               |
|                  |

| ADDITIONAL SPECIFICATIONS                 |  |
|---|--|
| Airbreak                                  | No   |
| Control Type                              | On/Off   |
| Food Waste Types Processed                | Tough (all red meat<br>bones, cauliflower<br>stalks, fish skins) |
| Meal Waste Servings Processed Per Sitting | 1450   |
| Motor Power                               | 3 hp   |

| Operator Safety Method                     | Interlock  |
|--|--|
| Self-Cleaning Capable                      | No   |
| Waste Processing Capacity Per Hour: Weight | 700 kg   |
| Waste Types Processed                      | Tough (all red meat<br>bones, cauliflower<br>stalks, fish skins) |

### **BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.

IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024








## IMC VULTURE 1204 FLOOR-MOUNTED FOOD WASTE DISPOSER - 3 PHASE [4 WIRE] - W 514 MM - 2.2 KW

MODEL: F54/220

#### **TECHNICAL DRAWING**







IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024

