



SILVERLINK 600

PRODUCT OPTIONS AND ACCESSORIES

- CH01 CATERFLEX HOSE 1/2" 1 METRE
- CH02 CATERFLEX HOSE 1/2" 1.5 METRE
- CN6 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm
- SLS6 Lincat Silverlink 600 Free-standing Floor Stand - for units W 600 mm

Create that distinctive chargrilled flavour and branded appearance without the need for messy lava rocks with the Silverlink 600 Gas Chargrill. Utilising innovative radiants instead, the chargrill experience is much cleaner, while the twin zones make for maximum flexibility. The variable heat control and heat retaining cooking grids produce the clean, sharp chargrilled marks that will make your dishes even more appetizing. It's perfect for cafes, bars and restaurants.

PRODUCT FEATURES

- Uses radiants which replaces the need for using messy lava rocks
- Twin zones for maximum flexibility
- The variable heat control and heat retaining cooking grids produce the clean, sharp chargrilled marks
- Splashguard to protect surrounding surfaces from splashes
- Removable branding bars to allow for easy cleaning and access
- Drip drawer to collect all the cooking liquids to reduce cleaning times

A/A FILE NUMBER:

ITEM NUMBER:

WEIGHTS & DIMENSIONS

Width	600 mil
Depth	652 mil
Height	414 mil
Weight	35.3 kg

SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	70 cm
Ship Height	63.5 cm
Ship Weight	38.83 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Gas	Gas Inlet Size	0.5 in
Kilowatts	16.4 kW	Gas Inlet Pressure Required	20 mBar
Number of Electrical Conductor Wires	1	Gas Total BTUs	55956 BTU
Electrical Connection Type	Not Applicable	Gas Consumption at Max Use Per Hour	1.56 m ³
Electrical Plug Type	Not Applicable	Total Heat Input at Max Use	14.3 kW, 48800 BTU per hour
Number of Electrical Plugs	Not Applicable	Energy Saving	No
Gas Type	Natural Gas		

ADDITIONAL SPECIFICATIONS

Base Type	Not Applicable	Grate Type	Cast Iron
Burner Material	Stainless Steel	Ignition Type	Pilot Light
Charbroiler Type	Countertop	Legs or Casters	Not Applicable
Control Type	Mechanical, Rotary Control Knob	Number of Burners	2
Cooking Area Plate Depth	440 mm	Number Of Controls	2
Cooking Area Plate Width	477 mm	Number of Heating Zones	2
Food Production Rate	90 x 115g [4oz] burgers [frozen] per hour	Radiant Material	Stainless Steel
		Slide Out Warming Rack	No
		Towel Bar	No

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

