



SILVERLINK 600

PRODUCT OPTIONS AND ACCESSORIES

- SLR9/SB SPLASHBACK

PRODUCT FEATURES

- Compact 600mm deep footprint - perfect for care homes as well as smaller pubs and restaurants
- Six hotplates 3 x 2.0kW, 3 x 1.5kW with six-position control knob for each plate - higher power for sautéing at the front, lower power to the rear ideal for simmering
- Automatic power reduction, if pan boils dry or is removed - prolonging hotplate life
- Easy clean fully pressed and sealed hob
- Powerful 4kW twin fan assisted oven for uniform heat distribution and consistent cooking
- Double insulated doors, side and back panels providing safer operation, greater efficiency, and economy
- Castors at rear to enable unit to be pulled out for deeper cleans



LINCAT SILVERLINK ELECTRIC FREE-STANDING OVEN RANGE - CASTORS AT REAR - 6 PLATES - W 900 MM - 13.0 KW [1-PHASE]

MODEL: ESLR9C/SPH

WEIGHTS & DIMENSIONS

Width	900 mil
Depth	670 mil
Height	932 mil
Weight	95 kg

SHIPPING DETAILS

Ship Width	100 cm
Ship Depth	81 cm
Ship Height	110 cm
Ship Weight	104.5 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires	1
Electrical Amps	Single Phase 56.5/Three Phase L1=30.4; L2=26.1; L3=N/A	Electrical Connection Type	Direct Hardwired
Electrical Voltage	230 volts/400 volts	Electrical Plug Type	Hardwired
Electrical Watts	13000	Number of Electrical Plugs	Not Applicable
Electrical Phase	Single, Three	Dedicated Circuit Required	Yes
Kilowatts	13 kW	Energy Saving	No

ADDITIONAL SPECIFICATIONS

Control Type	Rotary Control Knob	Open or Sealed Burners	Not Applicable
Cooking Plate Finish Material Type	Cast Iron Plate	Oven Power Rating	4 kW
Exterior Finish Color	Stainless Steel	Oven Temperature Maximum	250 °C
Exterior Trim Finish Color	Stainless Steel	Oven Temperature Minimum	50 °C
High Altitude Kit Available	No	Shelf Depth	342 mm
Number of Heating Zones	6	Shelf Width	700 mm
Number of Hot Top Burners	6	Watts Per Element	6 x 1500
Number of Shelf Positions	4	Cooking Equipment	Hob 1
Number of Shelves	2	BTUs Per Burner	1.5 KW

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
January 23, 2024



LINCAT SILVERLINK ELECTRIC FREE-STANDING OVEN RANGE -
CASTORS AT REAR - 6 PLATES - W 900 MM - 13.0 KW [1-PHASE]

MODEL: ESLR9C/SPH

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING	ARRANGE- MENT	WIDTH	DEPTH
Electric Round Hot Plate 1	3	2	Center Front	300 mm	300 mm
Electric Round Hot Plate 2	3	1.5	Center Rear	300 mm	300 mm

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Standard Oven 1			725 mm	342 mm	428 mm

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.



TECHNICAL DRAWING

