



SILVERLINK 600

PRODUCT OPTIONS AND ACCESSORIES

- BA96 BASKET SPUN DFSMALL

Deliver perfectly crisp on the outside and fluffy on the inside chips time after time with the Silverlink 600 Free Standing Electric Fryer. The single tank is capable of delivering 26kg of chips an hour. Ideal for pubs, restaurants and care homes, the fryer is built from sturdy stainless steel, while the heavy duty nickel plated baskets are designed for the most demanding of operations. You're in control via the accurate thermostat throughout the entire cooking process, and hinged elements give easy access during cleaning. Then there's the innovative deep cool zone, which collects cooking debris to prolong the life of the oil and therefore save you money.

PRODUCT FEATURES

- Single tank fryer delivering 26kg of chips an hour, perfect for pubs, restaurants and care homes
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris - gives cleaner cooking results and saves money by prolonging the life of the oil
- Thermostatically controlled to give accurate cooking temperatures throughout cooking. Flame failure device and top temperature cut out ensures safe operation.
- Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations
- Front drain off tap for easy removal of cooking oil

WEIGHTS & DIMENSIONS

Width	300 mil
Depth	632 mil
Height	980 mil
Weight	25.9 kg

SHIPPING DETAILS

Ship Width	114 cm
Ship Depth	75 cm
Ship Height	53 cm
Ship Weight	28.49 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires	1
Electrical Amps	Single Phase 26.1/Three Phase L1=13.0; L2=13.0; L3=N/A	Electrical Connection Type	Direct Hardwired
Electrical Voltage	230 volts/ 400 volts	Electrical Plug Type	Hardwired
Electrical Watts	6000	Number of Electrical Plugs	1
Electrical Phase	Single, Three	Dedicated Circuit Required	No
Kilowatts	6 kW	Energy Saving	No

ADDITIONAL SPECIFICATIONS

Auto Oil Top-Off	No	Number of Burners	Not Applicable
Basket Lift Type	Not Applicable	Number of Vats (batteries)	1
Control Type	Rotary Control Knob	Total Oil Capacity (volume)	9 l
Food Production Rate	18kg chips -12mm [frozen], 26kg chips - 12mm [chilled] per hour	Oil Reclamation	No
Fryer Type	Open Pot	Oil Temperature Control	Mechanical
Integrated Filtration	No	Pumped Oil Filtration	No
Number of Baskets	1	Split Pot	No
		Temperature Maximum	190 °C
		Temperature Minimum	130 °C
		Vat 1 Oil Capacity (volume)	9 l

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

