



**LYNX**400

#### PRODUCT FEATURES

- Removable control head to aid easy cleaning and maintenance
- Thermostatically controlled to give better and more consistent cooking results
- Safety thermostat to prevent overheat
- Stainless steel tanks for easy cleaning
- Comes with batter plate to allow open frying
- Nickel plated baskets for easy cleaning
- Plug and play for an easy installation

The 3kW Lynx 400 Electric Counter Top Fryer might be small, but it's sturdy too. Built to last, the fryer is designed to plug in and play, which means that you'll be producing perfect fried chips in no time at all. Stainless steel tanks and nickel plated baskets make for easy cleaning, while the safety thermostat prevents overheating for added safety. Whether you're cooking in a bar, a cafe or a pub, the Lynx 400 Electric Counter Top Fryer will not let you down.

A/A FILE NUMBER:

ITEM NUMBER:

**WEIGHTS & DIMENSIONS**

Width	270 mil
Depth	417 mil
Height	315 mil
Weight	8 kg

**SHIPPING DETAILS**

Ship Width	48 cm
Ship Depth	38 cm
Ship Height	42 cm
Ship Weight	8.8 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

**PRODUCT CERTIFICATIONS**



**ENERGY SPECS**

Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires	1
Electrical Amps	13	Electrical Connection Type	Cord and Plug
Electrical Voltage	230 volts	Electrical Plug Type	UK 3-Pin Plug
Electrical Watts	3000	Number of Electrical Plugs	1
Electrical Phase	Single	Dedicated Circuit Required	No
Kilowatts	3 kW	Energy Saving	No

**ADDITIONAL SPECIFICATIONS**

Auto Oil Top-Off	No	Number of Burners	Not Applicable
Basket Lift Type	Not Applicable	Number of Vats (batteries)	1
Control Type	Rotary Control Knob	Total Oil Capacity (volume)	4 l
Food Production Rate	8kg chips - 12mm [frozen], 11kg chips - 12mm [chilled] per hour	Oil Reclamation	No
Fryer Type	Open Pot	Oil Temperature Control	Mechanical
Integrated Filtration	No	Pumped Oil Filtration	No
Number of Baskets	1	Split Pot	No
		Temperature Maximum	190 °C
		Temperature Minimum	130 °C
		Vat 1 Oil Capacity (volume)	4 l

**BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.

**TECHNICAL DRAWING**

