

# LINCAT LYNX SUPERCHEF ELECTRIC COUNTER-TOP INFRA-RED GRILL WITH ROD SHELF & SPILLAGE PAN - W 552 MM - 3.0 KW

**MODEL: LSC** 



Producing perfect pizzas and paninis every time, the 3kW Lynx 400 Superchef Infra Red Grill heats up rapidly and saves energy as you only need to switch it on when you need it. Compact and sturdy, the grill is designed to plug in and play, so you'll be delivering perfect meals in no time. Featuring an even heat distribution, variable heat control of both upper and lower elements and an accurate electrical timer for precise cooking control, the enamel fascia is also easy to clean.



### PRODUCT OPTIONS AND ACCESSORIES

BR15 Wall Bracket

### **PRODUCT FEATURES**

- Super Chef salamander grill with additional control
- Rapid heat up save energy by switching on just when you need to use it
- Independent variable heat control of both upper and lower elements for extra versatility
- Even heat provides maximum output
- Accurate electrical timer for precise cooking control
- · Enamel fascia for easy cleaning
- Six clip-in, user-changeable quartz infrared elements
- Spillage pan and rod shelf with stay cool handles, supplied as standard
- Plug and play for an easy installation







# LINCAT LYNX SUPERCHEF ELECTRIC COUNTER-TOP INFRA-RED GRILL WITH ROD SHELF & SPILLAGE PAN - W 552 MM - 3.0 KW

**MODEL: LSC** 

WEIGHTS & DIMENSIONS	
Width	552 mil
Depth	302 mil
Height	325 mil
Weight	14.1 kg

SHIPPING DETAILS	
Ship Width	70 cm
Ship Depth	55 cm
Ship Height	49.5 cm
Ship Weight	15.51 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

## **PRODUCT CERTIFICATIONS**



ENERGY SPECS	
Primary Energy Source Type	Electricity
Electrical Amps	13
Electrical Voltage	230 volts
Electrical Watts	3000
Electrical Phase	Single
Kilowatts	3 kW

Number of Electrical Conductor Wires	11
Electrical Connection Type	Cord and Plug
Electrical Plug Type	UK 3-Pin Plug
Number of Electrical Plugs	1
Dedicated Circuit Required	No
Energy Saving	No

ADDITIONAL SPECIFICATIONS	
Broiler Base Configuration	Not Applicable
Broiler Type	Salamander
Control Type	Mechanical, Rotary Control Knob
Cooking Area Plate Depth	270 mm
Cooking Area Plate Width	460 mm

Food Production Rate	216 toast slices, 96 toasted sandwiches per hour
Heat Location	Top Only
Heat Source Type	Infrared
Number of Heating Zones	1_
Number of Shelf Positions	1

## **BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024










**MODEL: LSC** 

## **TECHNICAL DRAWING**







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024

