



For use with multiple electric appliances up to 1000mm wide, the Refresh Midi is ideal for locations where venting to the atmosphere would be impossible, difficult or costly. It provides a safer, more comfortable and productive working environment.

Refresh is a free-standing unit which can be installed quickly and easily, with minimal disruption. It comprises an extract housing, along with a top-mounted filtration section that houses a powerful, efficient fan unit. Air is drawn through the low level filter housing before passing through four filtration stages to remove grease, fine particles, smoke and odours.

PRODUCT OPTIONS AND ACCESSORIES

- SE100/110 Baffle Filter for Refresh Midi Recirculation Unit
- SE100/104 Carbon Filter for Refresh Midi Recirculation Unit
- SE100/101 Filter Set [G4] for Refresh Midi Recirculation Unit
- SE100/107 HEPA Filter for Refresh Midi Recirculation Unit

PRODUCT FEATURES

- Designed for use where venting to the atmosphere is restricted or costly.
- Quick and easy to install.
- Four-stage filtration process removes grease, fine particles, smoke and odours.
- For use with electrical appliances.
- Designed to accommodate multiple pieces of equipment up to 1000mm wide.
- 3 pin commando plug allows users to simply plug in and switch on.
- Delivered in two sections for ease of handling and access.
- Filters need to be cleaned or replaced on a regular basis.

AIA FILE NUMBER:

ITEM NUMBER:

WEIGHTS & DIMENSIONS

Width	1050 mil
Depth	734 mil
Height	2222 mil
Weight	148.5 kg

SHIPPING DETAILS

Ship Width	120 cm
Ship Depth	80 cm
Ship Height	131 cm
Ship Weight	163.35 lb
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

WATER, PLUMBING, AND DRAINAGE SPECS

Water Line Required	No
Drain Line Required	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric
Electrical Total Amperage	0.68 A
Electrical Volts	220/240V
Electrical Total Wattage	190 W
Electrical Kilowatts	0.19 kW
Electrical Phase	1-Phase

Number of Electrical Plugs	1
Electrical Connection Type	Cord and Plug
Number of Electrical Conductor Wires	1
Dedicated Circuit Required	Yes
Electrical Remarks	Single

ADDITIONAL SPECIFICATIONS

Air Movement CFM	0.26 cm ³ /s
Construction Materials	Stainless Steel
Control Type	On/Off, Rotary Control Knob
Fire Suppression System	No
Hood Type	Canopy
Ventilation Hood Type Rating	Not Applicable
Ventless Cooking Technology	No

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

