



DOYON® CA6XG CIRCLE AIR ROTATING OVEN, GAS, NATURAL
GAS, 75000 TOTAL BTU, 120 VOLT, 1 PHASE

MODEL: CA6XG



The Doyon CA6XG Convection Oven is the perfect addition to any bakery or foodservice operation, combining performance, precision, and artisan-quality results. Designed to accommodate up to six full-size sheet pans, it maximizes production without compromising consistency. Its patented moisture evacuation system ensures rapid removal of excess humidity, delivering fast, even baking every time. Equipped with shot and pulse steam capabilities, the CA6XG creates the ideal environment for achieving authentic, artisan-style crusts. An intuitive programmable touchscreen makes operation simple, while eight customizable stages allow you to fine-tune time, temperature, steam levels, and more—helping you perfect everything from delicate cookies to rustic boules

PRODUCT OPTIONS AND ACCESSORIES

- Water filter (PLF240 - recommended)
- Proofer Base (CA6PX)
- Perforated nickel plated pizza decks (GRP1Z3)
- Gas quick disconnect kit (CA6XG only)
- Stand (CA6B)
- Wire shelf to accommodate 20"x20" baking pans
- Stacking kit

PRODUCT FEATURES

- Built to thrive in demanding kitchen environments, the CA6XG gas circle air convection oven features a durable 20-gauge stainless steel exterior and a robust 16-gauge stainless steel interior.
- The CA6XG Series comes with a patented moisture evacuation fan system. Helps pull out excess moisture from the oven allowing temperature to recover quicker.
- Our CA6X & CA6XG are designed to hold up to (6) 18"x26" sheet pans with a 4" shelf spacing.
- The interior rack is simple to remove to clean around or service, and reinstall.
- The CA series oven is able to reach a max temperature of 500°F and preheat to 350°F within 15 minutes or less.
- Need a extra hand no more. Our dependent doors allow your to open the oven with a single and load with your other.
- The CA6XG measures 43.875"W x 57.625"D x 38"H. With oven chamber measuring 27"W x 33.5"D x 28.5"H.
- Need to double your baking capacity no problem stack two ovens with one stacking kit, need to add proofed products consider purchasing the optional proofer base.
- The CA6XG series oven comes standard with one year labor and two year parts warranty.

AIA FILE NUMBER:

ITEM NUMBER:



DOYON® CA6XG CIRCLE AIR ROTATING OVEN, GAS, NATURAL
GAS, 75000 TOTAL BTU, 120 VOLT, 1 PHASE

MODEL: CA6XG

WEIGHTS & DIMENSIONS

Product Width	43.88 in
Product Depth	53.88 in
Product Height	36.75 in
Product Weight	720 lb
Product Dimensions (WxDxH) (mm)	43.88 Inch X 53.88 Inch X 36.75 Inch
Product Clearance Required: Top	12 in
Product Clearance Required: Front	18 in
Product Clearance Required: Back	1 in
Product Clearance Required: Left Side	1 in

WATER, PLUMBING, AND DRAINAGE SPECIFICATIONS

Water Inlet Size	0.25 in
------------------	---------

ENERGY SPECIFICATIONS

Primary Energy Type	Gas
Electrical Volts	120V
Electrical Total Amperage	10
Electrical Total Wattage	1,400
Electrical Kilowatts	1.4
Electrical Phase	1PH

SHIPPING DETAILS

Ship Width	70 in
Ship Depth	56 in
Ship Height	50 in
Ship Weight	720 lb
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	49858
Freight Class (NMFC)	125

PRODUCT CERTIFICATION ICONS



Electrical Hertz (frequency)	60 Hertz
Electrical Remarks	Please consult owners manual and or spec sheet to verify prior to installation.
Gas Type Icon	Natural Gas





DOYON® CA6XG CIRCLE AIR ROTATING OVEN, GAS, NATURAL
GAS, 75000 TOTAL BTU, 120 VOLT, 1 PHASE

MODEL: CA6XG

ADDITIONAL TECHNICAL SPECIFICATIONS

Cooking Chamber Width	27 in	Number of Wire Racks	6
Cooking Chamber Depth	33.5 in	Oven Size (NEW)	Full Size
Cooking Chamber Height	28.5 in	Oven Size (volume)	14.9 ft ³
Cooking Rack Depth	0 in	Temperature Minimum	200 °F
Cooking Rack Width	0 in	Temperature Maximum	500 °F
Door Construction	Dependent Doors		
Number of Pans	6		

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Circle Air Oven, Rotating Rack, Gas, Programmable Intuitive Touchscreen Controls, Dependent Doors with Single Hand Operation, Stainless Steel Construction, Shot & Pulse Steam Injection, Advanced Moisture Evacuation System, 1/4" Water Connection for Steam, ETL & NSF






DOYON® CA6XG CIRCLE AIR ROTATING OVEN, GAS, NATURAL
GAS, 75000 TOTAL BTU, 120 VOLT, 1 PHASE

MODEL: CA6XG

TECHNICAL DRAWING



Doyon® reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated