DOYON® DRIP1 SINGLE DOOR ROLL-IN PROOFING CABINET, SINGLE RACKS - 240V, 1PH

MODEL: DRIP1

AIA FILE NUMBER:

ITEM NUMBER:



This Roll-In Proofer Cabinet is designed to deliver consistent, controlled proofing performance for high-volume operations. With a single-cavity, one-rack capacity, it provides ample space to support demanding production needs. Featuring precise solid-state controls for both heat & humidity, along with automatic water entry, it ensures optimal conditions for perfect dough development every time. The full-view glass door allows for easy product monitoring without disrupting the internal environment, while durable stainless steel construction inside out—paired with a rugged aluminum floor—ensures long-lasting reliability. This proofer efficiently operates from room temperature up to 110°F (43°C), making it a dependable solution for consistent, professional-

PRODUCT OPTIONS AND ACCESSORIES

- Stainless steel door
- Door bumpers
- Prison package
- Water filter (PLF240 - recommended)

PRODUCT FEATURES

- Designed for bakeries, commissaries, schools, and other high-demand environments, this unit combines impressive production capacity with outstanding value.
- Each unit ships with a 1/4" water line connection, allowing the unit to automatically produce humidity
- Full size view glass door allowing you to observe your proofs without having to open the door. Paired perfectly for the frosted glass light. Need a solid door not a issue either, we offer this as a option.
- Unit is constructed of aluminum saving you money but backed by the Doyon name in quality
- The DRIP1 can house (1) single section roll in style rack within its 25" wide by 31 3/4" deep chamber
- The DRIP1 comes with (2) year parts and (1) year labor
- The door ships either left hinge or right hinge based on how your application need
- Our unit can produce humidity up to 95% and able to reach a max temperature up to 110°F (43°C). Ideal to operate from 90°F (32°C) to 110°F (43°C) range.

DOYON® DRIP1 SINGLE DOOR ROLL-IN PROOFING CABINET, SINGLE RACKS - 240V, 1PH

MODEL: DRIP1

WEIGHTS & DIMENSIONS

Product Width	33 in
Product Depth	46.5 in
Product Height	86 in
Product Weight	360 lb

SHIPPING DETAILS

Ship Width	42 in
Ship Depth	52 in
Ship Height	92 in
Ship Weight	410 lb
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	49858
Freight Class (NMFC)	100

PRODUCT CERTIFICATION ICONS

ENERGY SPECIFICATIONS

Primary Energy Type	Electric
Electrical Volts	240V
Electrical Volts Icon	240V
Electrical Phase Icon	1PH

ADDITIONAL TECHNICAL SPECIFICATIONS

Cabinet Size	Full-Height
Internal Depth	31.75
Internal Height	73.75
Internal Width	25.12
Maximum Humidity	95
Temperature Minimum	90

Doyon® reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated

DOYON® DRIP1 SINGLE DOOR ROLL-IN PROOFING CABINET, SINGLE RACKS - 240V, 1PH

MODEL: DRIP1

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Proofer Cabinet, Roll-In, One-Cavity, Single (1) Rack Capacity or (36) 18”x26” Sheet Pans, Solid State Heat & Humidity Controls, Auto Water Entry, Full View Glass Door, Stainless Steel Interior and Exterior, Aluminum Floor, NSF, cETLus, ETLated Panels, Stainless Steel Construction, Expandable, Shipped Knocked Down, ETL, NSF


Doyon® reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

www.doyon.qc.ca | p: 800.338.9886 DOYON 5600 13th Street Menominee, MI 49858

DOYON® DRIP1 SINGLE DOOR ROLL-IN PROOFING CABINET, SINGLE RACKS - 240V, 1PH

MODEL: DRIP1

TECHNICAL DRAWING



Doyon® reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated