



OPTIMUM
by Bartender

PRODUCT FEATURES

- Manufactured with a 304 grade stainless steel top for superior corrosion resistance and hygiene, and a robust 430 grade stainless steel body for strength and durability in demanding bar environments.
- Standardised 800mm height and 505mm depth create a seamless, ergonomic workspace that enhances operator comfort, improves efficiency and delivers a consistent, professional bar appearance.
- Dedicated handwash basin design promotes effective hand hygiene and helps support compliance with food safety and cleanliness standards in busy bar environments.
- Enclosed cupboard design conceals pipework for a cleaner and more professional appearance.
- Hinged stainless steel door provides easy access to under-sink storage and services.
- Smooth stainless steel surfaces allow quick cleaning and support high hygiene standards.
- Designed to improve workflow by keeping washing facilities within easy reach of staff.
- Supplied without taps to allow project-specific tap selection and installation flexibility.
- Robust commercial construction is built to withstand continuous daily use.
- UK manufactured for consistent quality, precision fabrication and reliable performance.

The Optimum by Bartender Handwash Basin with Door – 400mm is a compact handwashing solution designed for commercial bar environments. Featuring a 304 grade stainless steel basin and surround with a durable 430 grade stainless steel body, it delivers excellent hygiene, corrosion resistance and long-lasting performance. Its compact footprint makes it ideal where space is limited, while seamless integration with the Optimum Underbar System helps create an efficient and professional workspace. The enclosed cupboard with stainless steel door conceals pipework and provides a neat appearance. Supplied without taps, it offers flexibility to specify tapware to suit individual project requirements. Designed and manufactured in the UK.

AIA FILE NUMBER:

ITEM NUMBER:



WEIGHTS & DIMENSIONS

Product Width	400 mm
Product Width (nominal)	400 mm
Product Depth	505 mm
Product Depth (nominal)	505 mm
Product Height	800 mm
Product Height (nominal)	800 mm
Product Weight	25 kg

WATER, PLUMBING, AND DRAINAGE SPECIFICATIONS

Water Inlet Size	0.75 in
Drain Type	Drains With Manifold
Drain Location	Internal

PRODUCT CERTIFICATION ICONS



BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

