



PRODUCT FEATURES

- Manufactured with a 304 grade stainless steel top for superior corrosion resistance and hygiene, and a robust 430 grade stainless steel body for strength and durability in demanding bar environments.
- Standardised 800mm height and 505mm depth create a seamless, ergonomic workspace that enhances operator comfort, improves efficiency and delivers a consistent, professional bar appearance.
- Dedicated handwash basin design promotes effective hand hygiene and helps support compliance with food safety and cleanliness standards in busy bar environments.
- Valance conceals pipework for a cleaner and more professional appearance.
- Smooth stainless steel surfaces allow quick cleaning and support high hygiene standards.
- Designed to improve workflow by keeping washing facilities within easy reach of staff.
- Supplied without taps to allow project-specific tap selection and installation flexibility.
- Robust commercial construction is built to withstand continuous daily use.
- UK manufactured for consistent quality, precision fabrication and reliable performance.
- One Year Parts and Labour Warranty
- One Year Parts and Labour Warranty

The Optimum by Bartender Handwash Basin with Valance – 300mm is a compact handwashing solution designed for commercial bar environments. Providing a dedicated handwashing station, it helps maintain high standards of hygiene and supports food safety compliance. Manufactured with a 304 grade stainless steel basin and surround, and a durable 430 grade stainless steel body, it offers excellent corrosion resistance and long-lasting performance. Designed to integrate seamlessly with the Optimum Underbar System, it creates a coordinated and efficient workspace. The stainless steel valance conceals pipework while maintaining easy access beneath the unit. Supplied without taps, it allows tapware to be specified to suit project

AIA FILE NUMBER:

ITEM NUMBER:



WEIGHTS & DIMENSIONS

Product Width	300 mm
Product Width (nominal)	300 mm
Product Depth	505 mm
Product Depth (nominal)	505 mm
Product Height	900 mm
Product Height (nominal)	900 mm
Product Weight	21 kg

WATER, PLUMBING, AND DRAINAGE SPECIFICATIONS

Water Inlet Size	0.75 in
Drain Type	Drains With Manifold
Drain Location	Internal

PRODUCT CERTIFICATION ICONS



BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

