



OPTIMUM
by Bartender

PRODUCT FEATURES

- Manufactured with a 304 grade stainless steel top for superior corrosion resistance and hygiene, and a robust 430 grade stainless steel body for strength and durability in demanding bar environments.
- Standardised 800mm height and 505mm depth create a seamless, ergonomic workspace that enhances operator comfort, improves efficiency and delivers a consistent, professional bar appearance.
- Single bowl sink design supports efficient washing and rinsing during busy service periods.
- Enclosed cupboard design conceals pipework for a cleaner and more professional appearance.
- Hinged stainless steel door provides easy access to under-sink storage and services.
- Smooth stainless steel surfaces allow quick cleaning and support high hygiene standards.
- Designed to improve workflow by keeping washing facilities within easy reach of staff.
- Supplied without taps to allow project-specific tap selection and installation flexibility.
- Robust commercial construction is built to withstand continuous daily use.
- UK manufactured for consistent quality, precision fabrication and reliable performance.
- One Year Parts and Labour Warranty

The Optimum by Bartender Single Sink Unit with Door – 400mm is a compact unit designed for busy commercial bars. The sink top and surround is manufactured from durable 304 grade stainless steel for excellent corrosion resistance and hygiene, while the body is constructed from 430 grade stainless steel, providing strength and durability. Supplied without taps, it allows operators to specify tapware to suit individual project requirements. Designed and manufactured in the UK, it delivers reliable performance and functionality for everyday bar operations.

AIA FILE NUMBER:

ITEM NUMBER:



WEIGHTS & DIMENSIONS

Product Width	400 mm
Product Width (nominal)	400 mm
Product Depth	505 mm
Product Depth (nominal)	505 mm
Product Height	800 mm
Product Height (nominal)	800 mm
Product Weight	24 kg

WATER, PLUMBING, AND DRAINAGE SPECIFICATIONS

Water Inlet Size	0.75 in
Drain Type	Drains With Manifold
Drain Location	Internal

PRODUCT CERTIFICATION ICONS



BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

