



**IMC VULTURE 1604 FLOOR-MOUNTED FOOD WASTE DISPOSER - 3
PHASE [4 WIRE] - W 514 MM - 4.0 KW**

MODEL: F54/320



Vulture

PRODUCT FEATURES

- Fast and efficient disposal of up to 900kg of food waste per hour.
- Handles up to 1850 covers per sitting - ideal for large kitchens.
- For tough waste (red meat bones, cauliflower stalks and fish skins).
- Manually reversible motor to extend operational life.
- Suitable for large kitchens with three-phase, four-wire power supply.

Fast and efficient, the 1604 Waste Disposer enables large kitchens to remove waste quickly and simply. It is able to dispose of 900kg of food waste per hour and handles up to 1850 covers per sitting, making it ideal for larger hotels, hospitals, universities, prisons and food preparation companies.

The 1604 Waste Disposer is suitable for tough waste - red meat bones, cauliflower stalks and fish skins. The free-standing unit can be welded into tabling with a E30/096 hopper rim, making it quick and easy to load, saving staff time and labour.

With a smooth stainless steel finish, the 1604

A/A FILE NUMBER:

ITEM NUMBER:



IMC VULTURE 1604 FLOOR-MOUNTED FOOD WASTE DISPOSER - 3
PHASE [4 WIRE] - W 514 MM - 4.0 KW

MODEL: F54/320

WEIGHTS & DIMENSIONS

Width	514 mil
Depth	740 mil
Height	850 mil
Weight	85.5 kg

SHIPPING DETAILS

Ship Width	90 cm
Ship Depth	54 cm
Ship Height	105 cm
Ship Weight	94.05 kg
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

WATER, PLUMBING, AND DRAINAGE SPECS

Water Line Required	Yes
Water Connection Source Type	Water Main
Water Inlet Size	22 mm
Water Inlet Pressure	0.18 Bar
Drain Line Required	Yes
Drain Outlet Size	2 in

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric
Electrical Total Amperage	9.4 A
Electrical Volts	400V
Electrical Total Wattage	4000 W
Electrical Kilowatts	4 kW
Electrical Phase	3-Phase

Electrical Plug Type	Hardwired
Number of Electrical Plugs	Not Applicable
Electrical Connection Type	Direct Hardwired
Number of Electrical Conductor Wires	1
Dedicated Circuit Required	Yes
Electrical Remarks	Three





IMC VULTURE 1604 FLOOR-MOUNTED FOOD WASTE DISPOSER - 3
PHASE [4 WIRE] - W 514 MM - 4.0 KW

MODEL: F54/320

ADDITIONAL SPECIFICATIONS

Airbreak	No	Operator Safety Method	Interlock
Construction Materials	Stainless Steel	Self-Cleaning Capable	No
Control Type	On/Off	Waste Processing Capacity Per Hour: Weight	900 kg
Meal Waste Servings Processed Per Sitting	1850	Waste Types Processed	Tough (all red meat bones, cauliflower stalks, fish skins)
Motor Power	5.4 hp		

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.



TECHNICAL DRAWING

