



PRODUCT FEATURES

- Fast and efficient disposal of up to 400kg of food waste per hour.
- Handles up to 850 covers per sitting - ideal for medium-size kitchens.
- For medium waste (plate waste, vegetables and peelings, meat and fish scraps).
- Compact design allows hopper to be table-mounted, for quick and easy loading.
- Constructed from hygienic stainless steel with interlocks for operator safety.
- Manually reversible motor to extend operational life.
- Suitable for medium kitchens with three-phase, four-wire power supply.

Fast and efficient, the 725 Waste Disposer enables medium-sized kitchens to remove waste quickly and simply. It is able to dispose of 400kg of food waste per hour and handles up to 850 covers per sitting, making it ideal for hotels, schools and hospitals.

The 725 Waste Disposer is suitable for medium waste - plate waste, vegetables and peelings, meat and fish scraps, and small bones. Its compact design allows the hopper to be mounted on a table, making it quick and easy to load, saving staff time and labour.

With a smooth stainless steel finish, the 725 Waste



**IMC VULTURE 725 IN-TABLING FOOD WASTE DISPOSER - 3 PHASE
[4 WIRE] - W 338 MM - 1.1 KW**

MODEL: F60/121

WEIGHTS & DIMENSIONS

Width	340 mil
Depth	472 mil
Height	733 mil
Weight	39.5 kg

SHIPPING DETAILS

Ship Width	63 cm
Ship Depth	48 cm
Ship Height	104 cm
Ship Weight	43.45 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

WATER, PLUMBING, AND DRAINAGE SPECS

Water Line Required	Yes
Water Connection Source Type	Water Main
Water Inlet Size	15 mm
Water Inlet Pressure	0.4 Bar
Drain Line Required	Yes
Drain Outlet Size	2 in

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric
Electrical Total Amperage	2.8 A
Electrical Volts	400V
Electrical Total Wattage	1100 W
Electrical Kilowatts	1.1 kW
Electrical Phase	3-Phase

Electrical Plug Type	Hardwired
Number of Electrical Plugs	Not Applicable
Electrical Connection Type	Direct Hardwired
Number of Electrical Conductor Wires	1
Dedicated Circuit Required	Yes
Electrical Remarks	Three



**IMC VULTURE 725 IN-TABLING FOOD WASTE DISPOSER - 3 PHASE
[4 WIRE] - W 338 MM - 1.1 KW**

MODEL: F60/121

ADDITIONAL SPECIFICATIONS

Airbreak	No	Operator Safety Method	Interlock
Construction Materials	Stainless Steel	Self-Cleaning Capable	No
Control Type	On/Off	Waste Processing Capacity Per Hour: Weight	400 kg
Meal Waste Servings Processed Per Sitting	850	Waste Types Processed	Medium (small pork/ chicken bones, vegeta- bles and fruit)
Motor Power	1.5 hp		

BIDDING SPECIFICATIONS (SHORT FORM SPECS)


Bidding Specifications Not Available.



IMC VULTURE 725 IN-TABLING FOOD WASTE DISPOSER - 3 PHASE
[4 WIRE] - W 338 MM - 1.1 KW

MODEL: F60/121

TECHNICAL DRAWING



IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
March 24, 2025