



## IMC VULTURE 726 FREE-STANDING FOOD WASTE DISPOSER - 3 PHASE [5 WIRE] [AIR BREAK] - W 400 MM - 1.1 KW

# MODEL: F60/505



**Vulture**

### PRODUCT FEATURES

- Fast and efficient disposal of up to 400kg of food waste per hour.
- Handles up to 850 covers per sitting - ideal for medium-size kitchens.
- For medium waste (plate waste, vegetables and peelings, meat and fish scraps).
- Compact, free-standing design, for quick and easy loading.
- Manually reversible motor to extend operational life.
- With class A airbreak kit - recommended when connecting to a mains water supply.
- Suitable for medium kitchens with three-phase, five-wire power supply.

Fast and efficient, the 726 Waste Disposer enables medium-sized kitchens to remove waste quickly and simply. It is able to dispose of 400kg of food waste per hour and handles up to 850 covers per sitting, making it ideal for hotels, schools and hospitals.

The 726 Waste Disposer is suitable for medium waste - plate waste, vegetables and peelings, meat and fish scraps, and small bones. Its compact, free-standing design makes it quick and easy to load, saving staff time and labour.

With a smooth stainless steel finish, the 726 Waste Disposer is easy to clean. The unit also features

A/A FILE NUMBER:

ITEM NUMBER:



# IMC VULTURE 726 FREE-STANDING FOOD WASTE DISPOSER - 3 PHASE [5 WIRE] [AIR BREAK] - W 400 MM - 1.1 KW

## MODEL: F60/505

### WEIGHTS & DIMENSIONS

Width	400 mil
Depth	600 mil
Height	969 mil
Weight	46.5 kg

### SHIPPING DETAILS

Ship Width	63 cm
Ship Depth	48 cm
Ship Height	104 cm
Ship Weight	51.15 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

### WATER, PLUMBING, AND DRAINAGE SPECS

Water Line Required	Yes
Water Connection Source Type	Water Main
Water Inlet Size	15 mm
Water Inlet Pressure	0.4 Bar
Drain Line Required	Yes
Drain Outlet Size	40 mm

### PRODUCT CERTIFICATIONS



### ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	Hardwired
Electrical Total Amperage	2.8 A	Number of Electrical Plugs	Not Applicable
Electrical Volts	400V	Electrical Connection Type	Direct Hardwired
Electrical Total Wattage	1100 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	1.1 kW	Dedicated Circuit Required	Yes
Electrical Phase	3-Phase	Electrical Remarks	Three



**IMC VULTURE 726 FREE-STANDING FOOD WASTE DISPOSER - 3  
PHASE [5 WIRE] [AIR BREAK] - W 400 MM - 1.1 KW**

**MODEL: F60/505**

**ADDITIONAL SPECIFICATIONS**

Airbreak	Yes	Operator Safety Method	Interlock
Construction Materials	Stainless Steel	Self-Cleaning Capable	No
Control Type	On/Off	Waste Processing Capacity Per Hour: Weight	400 kg
Meal Waste Servings Processed Per Sitting	850	Waste Types Processed	Medium (small pork/ chicken bones, vegeta- bles and fruit)
Motor Power	1.5 hp		

**BIDDING SPECIFICATIONS (SHORT FORM SPECS)**


Bidding Specifications Not Available.



IMC VULTURE 726 FREE-STANDING FOOD WASTE DISPOSER - 3  
PHASE [5 WIRE] [AIR BREAK] - W 400 MM - 1.1 KW

MODEL: F60/505

TECHNICAL DRAWING



IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated  
March 24, 2025