IMC VENTUS V60 BOTTLE COOLER [FRONT LOAD] - FULL FRONT GLASS DOOR - STAINLESS STEEL FRAME - H 800 MM - W 600 MM - R290

MODEL: F76/172

AIA FILE NUMBER:

ITEM NUMBER:



Ventus

UKThe V60 provides flexible storage of up to 78 (330ml) bottles. The polished stainless steel interior and LED lighting enhance display, while the stainless steel exterior cabinet and full front door blend seamlessly into any bar setting.

Its electronic temperature controller, supported by an auto defrost function, provides precise monitoring, ensuring drinks are kept at perfect serving temperature. In addition, the energy-saving EcoSmart controller allows users to hold the bottle cooler in its most economical state, until it is required, and an energy-efficient forced air cooling system delivers rapid temperature pull down to keep pace with demand in the busiest of bars.

PRODUCT OPTIONS AND ACCESSORIES

- S76/048 Perforated Shelf - for V60 - 500D
- A12/091/Z1 Wire Shelf - Chrome - for M60 Bottle Cooler

PRODUCT FEATURES

- Full front door for seamless integration
- Reduced 800mm height
- Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- Elegant, flexible storage for up to 78 bottles
- Electronic temperature control keeps drinks at the perfect serving temperature
- Sleek stainless steel interior and LED lighting to enhance display
- Sleek stainless steel interior and LED lighting to enhance display
- UK 3 pin plug allows users to simply plug in and switch on

IMC VENTUS V60 BOTTLE COOLER [FRONT LOAD] - FULL FRONT GLASS DOOR - STAINLESS STEEL FRAME - H 800 MM - W 600 MM -

MODEL: F76/172

WEIGHTS & DIMENSIONS

Product Width	600 mm
Product Depth	500 mm
Product Height	800 mm
Product Dimensions (WxDxH) (mm)	600 Millimeter X 500 Millimeter X 800 Millimeter

SHIPPING DETAILS

Ship Width	66 cm
Ship Depth	58 cm
Ship Height	110 cm
Ship Weight	63 kg
Ship Method	Small Parcel (Ups Fedex Dhl)
Shipping Package Type	Pieces

PRODUCT CERTIFICATION ICONS

Made in UK UKCA IPX1

ENERGY SPECIFICATIONS

Primary Energy Type	Electric
Electrical Volts	240V

ADDITIONAL TECHNICAL SPECIFICATIONS

Capacity (Volume)	108
Capacity: Bottles	78
Temperature Minimum	2

bidding specifications


IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.


Document Auto-Generated


IMC VENTUS V60 BOTTLE COOLER [FRONT LOAD] - FULL FRONT GLASS DOOR - STAINLESS STEEL FRAME - H 800 MM - W 600 MM -

MODEL: F76/172

TECHNICAL DRAWING







IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated