IMC VENTUS V90 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR - STAINLESS STEEL FRAME - H 850 MM - W 900 MM - R290

MODEL: F76/251

AIA FILE NUMBER:

ITEM NUMBER:



Ventus

UKThe V90 provides flexible storage of up to 117 (330ml) bottles. The polished stainless steel interior and LED lighting enhance display, while the stainless steel exterior cabinet blends seamlessly into any bar setting.

Its electronic temperature controller, supported by an auto defrost function, provides precise monitoring, ensuring drinks are kept at perfect serving temperature. In addition, the energy-saving EcoSmart controller allows users to hold the bottle cooler in its most economical state, until it is required, and an energy-efficient forced air cooling system delivers rapid temperature pull down to keep pace with demand in the busiest of bars.

PRODUCT OPTIONS AND ACCESSORIES

- A12/092/Z1 Wire Shelf - Chrome - for M90 Bottle Cooler

PRODUCT FEATURES

- Reduced 850mm height
- Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- Elegant, flexible storage for up to 117 bottles
- Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- Electronic temperature control keeps drinks at the perfect serving temperature
- Energy efficient EcoSmart controller at the touch of a button, put the bottle cooler into its most economical state until next required
- Sleek stainless steel interior and LED lighting to enhance display
- Twin double glazed lockable doors for enhanced security

IMC VENTUS V90 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR - STAINLESS STEEL FRAME - H 850 MM - W 900 MM - R290

MODEL: F76/251

WEIGHTS & DIMENSIONS

Product Width	900 mm
Product Depth	500 mm
Product Height	850 mm
Product Dimensions (WxDxH) (mm)	900 Millimeter X 500 Millimeter X 850 Millimeter

SHIPPING DETAILS

Ship Width	96 cm
Ship Depth	58 cm
Ship Height	109 cm
Ship Weight	90 kg
Ship Method	Ltl Common Carrier
Shipping Package Type	Pieces

PRODUCT CERTIFICATION ICONS

Made in UK UKCA IPX1

ENERGY SPECIFICATIONS

Primary Energy Type	Electric
Electrical Volts	240V

ADDITIONAL TECHNICAL SPECIFICATIONS

Capacity (Volume)	185
Capacity: Bottles	117
Temperature Minimum	2

bidding specifications


IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.


Document Auto-Generated


IMC VENTUS V90 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR - STAINLESS STEEL FRAME - H 850 MM - W 900 MM - R290

MODEL: F76/251

TECHNICAL DRAWING







IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

www.lincat.co.uk/brands/imc | p: +44 1522 875500 Whisby Road, Lincoln, LN6 3QZ, UK