IMC VENTUS V135 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR - STAINLESS STEEL FRAME - H 800 MM - W 1350 MM - R290

MODEL: F76/352

AIA FILE NUMBER:

ITEM NUMBER:



UKThe V135 provides flexible storage of up to 185 (330ml) bottles. The polished stainless steel interior and LED lighting enhance display, while the stainless steel exterior cabinet blends seamlessly into any bar setting.

Its electronic temperature controller, supported by an auto defrost function, provides precise monitoring, ensuring drinks are kept at perfect serving temperature. In addition, the energy-saving EcoSmart controller allows users to hold the bottle cooler in its most economical state, until it is required, and an energy-efficient forced air cooling system delivers rapid temperature pull down to keep pace with demand in the busiest of bars.

Ventus

PRODUCT OPTIONS AND ACCESSORIES

- A12/099 Wire Shelf - Chrome - for M135 Bottle Cooler

PRODUCT FEATURES

- Reduced 800mm height
- Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- Elegant, flexible storage for up to 185 bottles
- Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- Electronic temperature control keeps drinks at the perfect serving temperature
- Energy efficient EcoSmart controller at the touch of a button, put the bottle cooler into its most economical state until next required
- Sleek stainless steel interior and LED lighting to enhance display
- Three double glazed lockable doors for enhanced security

IMC VENTUS V135 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR - STAINLESS STEEL FRAME - H 800 MM - W 1350 MM - R290

MODEL: F76/352

WEIGHTS & DIMENSIONS

Product Width	1,350 mm
Product Depth	500 mm
Product Height	800 mm
Product Dimensions (WxDxH) (mm)	1350 Millimeter X 500 Millimeter X 800 Millimeter

SHIPPING DETAILS

Ship Width	142 cm
Ship Depth	58 cm
Ship Height	106 cm
Ship Weight	128 kg
Ship Method	Ltl Common Carrier
Shipping Package Type	Pieces

PRODUCT CERTIFICATION ICONS

Made in UK UKCA IPX1

ENERGY SPECIFICATIONS

Primary Energy Type	Electric
Electrical Volts	240V

ADDITIONAL TECHNICAL SPECIFICATIONS

Capacity (Volume)	269
Capacity: Bottles	185
Temperature Minimum	2

bidding specifications


IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.


Document Auto-Generated


IMC VENTUS V135 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR - STAINLESS STEEL FRAME - H 800 MM - W 1350 MM - R290

MODEL: F76/352

TECHNICAL DRAWING







IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated