IMC MISTRAL M60 BOTTLE COOLER [FRONT LOAD] - HIGH AMBIENT - GLASS DOOR - STAINLESS STEEL FRAME - H 900 MM - W 600 MM - 0.437 KW

MODEL: F77/114/SS

AIA FILE NUMBER:

ITEM NUMBER:



Mistral

UKThe Mistral M60 High Ambient bottle cooler delivers optimum performance in ambient temperatures of up to 43°C , along with long-term reliability and low operating costs.

High performance insulation maintains temperature inside the unit, whilst ultra-low “U” value glass and trace-heated doors protect from external heat. Its electronic temperature controller, supported by an auto defrost function, provides precise monitoring. An energy-efficient forced air cooling system delivers rapid temperature pull down, to meet demand in the busiest of bars.

The M60 High Ambient provides storage of up to 135 (330ml) bottles. The stainless steel exterior cabinet blends perfectly into any bar setting.

PRODUCT OPTIONS AND ACCESSORIES

- A12/091/Z1 Wire Shelf - Chrome - for M60 Bottle Cooler
- A12/091/Z1 Wire Shelf - Chrome - for M60 Bottle Cooler

PRODUCT FEATURES

- Stylish storage of up to 135 bottles in ambient conditions of up to 43Â°C
- Electronic temperature controller and auto defrost for perfectly chilled drinks
- Energy efficient forced air cooling for rapid temperature pull down
- Sleek stainless steel interior and LED lighting to enhance display
- Single solid lockable door for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on
- Easy to remove and replace magnetic gaskets to facilitate cleaning

IMC MISTRAL M60 BOTTLE COOLER [FRONT LOAD] - HIGH AMBIENT - GLASS DOOR - STAINLESS STEEL FRAME - H 900 MM -

MODEL: F77/114/SS

WEIGHTS & DIMENSIONS

Product Width	600 mm
Product Depth	500 mm
Product Height	900 mm
Product Dimensions (WxDxH) (mm)	600 Millimeter X 500 Millimeter X 900 Millimeter

SHIPPING DETAILS

Ship Width	68 cm
Ship Depth	58 cm
Ship Height	108 cm
Ship Weight	65.45 kg
Ship Method	Small Parcel (Ups Fedex Dhl)
Shipping Package Type	Pieces

PRODUCT CERTIFICATION ICONS

Made in UK UKCA IPX1

ENERGY SPECIFICATIONS

Primary Energy Type	Electric
Electrical Volts	240V

ADDITIONAL TECHNICAL SPECIFICATIONS

Capacity (Volume)	133
Capacity: Bottles	135
Temperature Minimum	2

bidding specifications

IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

www.lincat.co.uk/brands/imc | p: +44 1522 875500 Whisby Road, Lincoln, LN6 3QZ, UK

IMC MISTRAL M60 BOTTLE COOLER [FRONT LOAD] - HIGH AMBIENT - GLASS DOOR - STAINLESS STEEL FRAME - H 900 MM -

MODEL: F77/114/SS

TECHNICAL DRAWING



IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated