



**IMC MISTRAL M60 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR
- STAINLESS STEEL FRAME - H 800 MM - W 600 MM - 0.225 KW**

MODEL: F77/152



Mistral

PRODUCT OPTIONS AND ACCESSORIES

- A12/091/Z1 Wire Shelf - Chrome - for M60 Bottle Cooler

The M60 provides easy storage of up to 78 (330ml) bottles. The polished stainless steel interior enhances display, whilst the stainless steel exterior cabinet blends perfectly into any bar setting.

Its electronic temperature controller, supported by an auto defrost function, provides precise monitoring, ensuring drinks are kept at perfect serving temperature. In addition, an energy-efficient forced air cooling system delivers rapid temperature pull down to keep pace with demand in the busiest of bars.

Constructed from robust stainless steel, the M60 has a single double-glazed door which is lockable

PRODUCT FEATURES

- Reduced 800mm height
- Stylish, flexible storage for up to 78 bottles
- Electronic temperature controller and auto defrost for perfectly-chilled drinks
- Sleek stainless steel interior and LED lighting to enhance display
- Sleek stainless steel interior to enhance display
- Single double-glazed lockable door for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on

AIA FILE NUMBER:

ITEM NUMBER:



**IMC MISTRAL M60 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR
- STAINLESS STEEL FRAME - H 800 MM - W 600 MM - 0.225 KW**

MODEL: F77/152

WEIGHTS & DIMENSIONS

Width	600 mil
Depth	500 mil
Height	800 mil
Weight	52 kg

SHIPPING DETAILS

Ship Width	68 cm
Ship Depth	58 cm
Ship Height	108 cm
Ship Weight	57.2 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	UK 3-Pin Plug
Electrical Total Amperage	1.65 A	Number of Electrical Plugs	1
Electrical Volts	240V	Electrical Connection Type	Cord and Plug
Electrical Total Wattage	225 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	0.225 kW	Dedicated Circuit Required	No
Electrical Phase	1-Phase	Electrical Remarks	Single

ADDITIONAL SPECIFICATIONS

Application Type	Undercounter	Insulated	Yes
Capacity: Bottles	78	Number of Shelf Positions	29
Capacity (Volume)	108 l	Number of Shelves	2
Construction Materials	Stainless Steel	Refrigerant Type	R-290
Control Type	Digital Touch Pad, Electronic	Type of Lighting	LED
Defrost Method	Automatic	Temperature Maximum	6 °C
		Temperature Minimum	2 °C

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.






IMC MISTRAL M60 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR
- STAINLESS STEEL FRAME - H 800 MM - W 600 MM - 0.225 KW

MODEL: F77/152

TECHNICAL DRAWING



IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
March 24, 2025