IMC MISTRAL M90 BOTTLE COOLER [FRONT LOAD] - HIGH AMBIENT - SOLID STAINLESS STEEL DOOR - H 900 MM - W 900 MM - 0.354 KW

MODEL: F77/233/SS

AIA FILE NUMBER:

ITEM NUMBER:



Mistral

UKThe Mistral M90 High Ambient bottle cooler delivers optimum performance in ambient temperatures of up to 43°C along with long-term reliability and low operating costs.

High performance insulation maintains temperature inside the unit, whilst ultra-low “U” value glass and trace-heated doors protect from external heat. Its electronic temperature controller, supported by an auto defrost function, provides precise monitoring. In addition, an energy-efficient forced air cooling system delivers rapid temperature pull down, to keep pace with demand in the busiest of bars. The M90 High Ambient provides storage of up to 207 (330ml) bottles.

Its double-glazed glass doors are lockable as

PRODUCT OPTIONS AND ACCESSORIES

- A12/092/Z1 Wire Shelf - Chrome - for M90 Bottle Cooler

PRODUCT FEATURES

- Stylish storage of up to 207 bottles in ambient conditions of up to 43Â°C
- Electronic temperature controller and auto defrost for perfectly chilled drinks
- Sleek stainless steel interior and LED lighting to enhance display
- Double glazed lockable doors for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on
- Easy to remove and replace magnetic gaskets to facilitate cleaning
- Solid lockable doors for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on
- Easy to remove and replace magnetic gaskets to facilitate cleaning

IMC MISTRAL M90 BOTTLE COOLER [FRONT LOAD] - HIGH AMBIENT - SOLID STAINLESS STEEL DOOR - H 900 MM - W 900

MODEL: F77/233/SS

WEIGHTS & DIMENSIONS

Product Width	900 mm
Product Depth	500 mm
Product Height	900 mm
Product Dimensions (WxDxH) (mm)	900 Millimeter X 500 Millimeter X 900 Millimeter

SHIPPING DETAILS

Ship Width	97 cm
Ship Depth	57 cm
Ship Height	107 cm
Ship Weight	80.3 kg
Ship Method	Ltl Common Carrier
Shipping Package Type	Pieces

PRODUCT CERTIFICATION ICONS

Made in UK UKCA IPX1

ENERGY SPECIFICATIONS

Primary Energy Type	Electric
Electrical Volts	240V

ADDITIONAL TECHNICAL SPECIFICATIONS

Capacity (Volume)	214
Capacity: Bottles	204
Temperature Minimum	2

bidding specifications


IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated

IMC MISTRAL M90 BOTTLE COOLER [FRONT LOAD] - HIGH AMBIENT - SOLID STAINLESS STEEL DOOR - H 900 MM - W 900

MODEL: F77/233/SS

TECHNICAL DRAWING



IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated