



**IMC MISTRAL M90 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR
- STAINLESS STEEL FRAME - H 900 MM - W 900 MM - 0.232 KW**

MODEL: F77/250



Mistral

PRODUCT OPTIONS AND ACCESSORIES

- A12/092/Z1 Wire Shelf - Chrome - for M90 Bottle Cooler

The M90 provides easy storage of up to 195 (330ml) bottles. The polished stainless steel interior enhances display, whilst the stainless steel exterior cabinet blends perfectly into any bar setting.

Its electronic temperature controller, supported by an auto defrost function, provides precise monitoring, ensuring drinks are kept at perfect serving temperature. In addition, an energy-efficient forced air cooling system delivers rapid temperature pull down to keep pace with demand in the busiest of bars.

Constructed from robust stainless steel, the M90 has double-glazed double doors which are lockable

PRODUCT FEATURES

- Stylish, flexible storage for up to 195 bottles
- Electronic temperature controller and auto defrost for perfectly-chilled drinks.
- Energy-efficient forced air cooling for rapid temperature pull down
- Sleek stainless steel interior to enhance display
- Double-glazed lockable doors for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on
- Easy to remove and replace magnetic gaskets to facilitate cleaning

AIA FILE NUMBER:

ITEM NUMBER:



**IMC MISTRAL M90 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR
- STAINLESS STEEL FRAME - H 900 MM - W 900 MM - 0.232 KW**

MODEL: F77/250

WEIGHTS & DIMENSIONS

Width	900 mil
Depth	500 mil
Height	900 mil
Weight	73 kg

SHIPPING DETAILS

Ship Width	97 cm
Ship Depth	57 cm
Ship Height	107 cm
Ship Weight	80.3 kg
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	UK 3-Pin Plug
Electrical Total Amperage	1.72 A	Number of Electrical Plugs	1
Electrical Volts	240V	Electrical Connection Type	Cord and Plug
Electrical Total Wattage	232 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	0.232 kW	Dedicated Circuit Required	No
Electrical Phase	1-Phase	Electrical Remarks	Single

ADDITIONAL SPECIFICATIONS

Application Type	Undercounter	Insulated	Yes
Capacity: Bottles	195	Number of Shelf Positions	29
Capacity (Volume)	214 l	Number of Shelves	2
Construction Materials	Stainless Steel	Refrigerant Type	R-290
Control Type	Digital Touch Pad, Electronic	Type of Lighting	LED
Defrost Method	Automatic	Temperature Maximum	6 °C
		Temperature Minimum	2 °C

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
March 24, 2025








IMC MISTRAL M90 BOTTLE COOLER [FRONT LOAD] - GLASS DOOR
- STAINLESS STEEL FRAME - H 900 MM - W 900 MM - 0.232 KW

MODEL: F77/250

TECHNICAL DRAWING



IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
March 24, 2025