

LINCAT SILVERLINK ELECTRIC COUNTER-TOP ADJUSTABLE SALAMANDER GRILL - W 600 MM - 2.8 KW

MODEL: AS3



Fast and convenient, the Silverlink 600 Electric Adjustable Salamander allows you to alter the height of the unit so that you can grill and toast your way. The Salamander is 1/1 gastronorm compatible and features a smooth action and easylift grill hood. Great for cafes, pubs and restaurants, the Salamander is designed to plug in and play, which means you'll be creating mouthwatering meals in no time. It comes with a chromed toasting rack and removable fat collection tray for easy cleaning.

PRODUCT OPTIONS AND ACCESSORIES

BR51 AS4 & AS3 WALL BRACKET

PRODUCT FEATURES

- Ideal for the grilling and gratinating of a range of food types
- 1/1 gastronorm compatible for convenience in use
- Smooth action and easy-lift grill hood
- The height markings and audible timer ensures consistent results every time
- Chromed toasting rack included
- Removable fat collection tray is included to make cleaning easier
- Plug and play for an easy installation







LINCAT SILVERLINK ELECTRIC COUNTER-TOP ADJUSTABLE SALAMANDER GRILL - W 600 MM - 2.8 KW

MODEL: AS3

WEIGHTS & DIMENSIONS	
Width	600 mil
Depth	472 mil
Height	500 mil
Weight	45.1 kg

SHIPPING DETAILS	
Ship Width	70.3 cm
Ship Depth	70.3 cm
Ship Height	102.3 cm
Ship Weight	49.61 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS			
Primary Energy Type	Electric	Electrical Plug Type	UK 3-Pin Plug
Electrical Total Amperage	12.17 A	Number of Electrical Plugs	1
Electrical Volts	230V	Electrical Connection Type	Cord and Plug
Electrical Total Wattage	2800 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	2.8 kW	Dedicated Circuit Required	No
Electrical Phase	1-Phase	Electrical Remarks	Single

ADDITIONAL SPECIFICATIONS			
Broiler Base Configuration	Not Applicable	Gastronorm Capacity	1 x GN1/1
Broiler Type	Salamander	Heat Location	Top Only
Construction Materials	Stainless Steel	Heat Source Type	Infrared
Control Type	Mechanical, Rotary	Number of Heating Zones	11_
	Control Knob	Number of Shelf Positions	not_applicable
Cooking Area Plate Depth	340 mm	Ventless Cooking Technology	No
Cooking Area Plate Width	532 mm		

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated March 24, 2025










MODEL: AS3

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated March 24, 2025