



**SILVERLINK 600**

#### PRODUCT OPTIONS AND ACCESSORIES

- CC4 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 450 mm
- CN4 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 450 mm
- SLS4 Lincat Silverlink 600 Free-standing Floor Stand - for units W 450 mm
- HC4 Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 450 mm - 0.5 kW
- HCL4 Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 450 mm - 0.5 kW

#### PRODUCT FEATURES

- Wet heat bain marie
- Ideal for holding foods for up to 2 hours at serving temperature
- Base unit only supplied empty no gastronorms included
- This wet unit can also be used as a dry bain marie
- Plug and play for an easy installation
- Perfect for safely holding sauces, gravy & pre-cooked foods
- Adjustable temperature control

Do you need to safely hold sauces, soups, gravy and precooked foods for up to two hours at the ideal serving temperature? This Silverlink 600 Electric Wet Heat Bain Marie does just that. Perfect for takeaways, restaurants and mobile caterers, the unit, which can also be used as a dry bain marie, is designed to plug in and play so you'll be serving delicious dishes in no time. It also comes with an adjustable temperature control.

A/A FILE NUMBER:

ITEM NUMBER:



# LINCAT SILVERLINK ELECTRIC COUNTER-TOP BAIN MARIE - WET HEAT - GASTRONORMS - BASE ONLY - W 450 MM - 1.0 KW

## MODEL: BM4W

### WEIGHTS & DIMENSIONS

|        |         |
|--------|---------|
| Width  | 450 mil |
| Depth  | 600 mil |
| Height | 290 mil |
| Weight | 11.1 kg |

### SHIPPING DETAILS

|                          |                                |
|--------------------------|--------------------------------|
| Ship Width               | 70 cm                          |
| Ship Depth               | 55 cm                          |
| Ship Height              | 49.5 cm                        |
| Ship Weight              | 12.21 kg                       |
| Ship Method              | Small Parcel (FedEx, UPS, DHL) |
| Shipping Package Type    | Pieces                         |
| Shipping Origin Zip Code | LN6 3QZ, UNITED KINGDOM        |
| Quick Ship Product       | No                             |

### WATER, PLUMBING, AND DRAINAGE SPECS

|                     |               |
|---------------------|---------------|
| Water Line Required | No            |
| Drain Line Required | No            |
| Drain Location      | Front Mounted |

### PRODUCT CERTIFICATIONS



### ENERGY SPECS

|                           |          |                                      |               |
|---------------------------|----------|--------------------------------------|---------------|
| Primary Energy Type       | Electric | Electrical Plug Type                 | UK 3-Pin Plug |
| Electrical Total Amperage | 4.3 A    | Number of Electrical Plugs           | 1             |
| Electrical Volts          | 230V     | Electrical Connection Type           | Cord and Plug |
| Electrical Total Wattage  | 1000 W   | Number of Electrical Conductor Wires | 1             |
| Electrical Kilowatts      | 1 kW     | Dedicated Circuit Required           | No            |
| Electrical Phase          | 1-Phase  | Electrical Remarks                   | Single        |

### ADDITIONAL SPECIFICATIONS

|                                |                     |                             |                   |
|--------------------------------|---------------------|-----------------------------|-------------------|
| Construction Materials         | Stainless Steel     | Mounting Position           | Top Mount Drop-In |
| Control Type                   | Rotary Control Knob | Number of Wells             | 1                 |
| Gastronorm Capacity            | 1 x GN1/1           | Ventless Cooking Technology | No                |
| Hot Food Well Application Type | Wet                 | Waterless                   | No                |
| Insulated                      | No                  | Well Shape                  | Rectangle         |
| Modular                        | Yes                 |                             |                   |

### BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

