



SILVERLINK 600

PRODUCT OPTIONS AND ACCESSORIES

- CC4 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 450 mm
- CN4 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 450 mm
- SLS4 Lincat Silverlink 600 Free-standing Floor Stand - for units W 450 mm
- HC4 Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 450 mm - 0.5 kW
- HCL4 Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 450 mm - 0.5 kW

PRODUCT FEATURES

- Provide a continuous supply of chips and other fried food, quickly and easily
- Crisp chips, the perforated drain plates ensures any excess oil is drained away
- Adjustable temperature control
- Easy to clean removable tank and drain plate

Keep chips and other fried food deliciously crisp and succulent with the Silverlink 600 Electric Chip Scuttle. Ideal either for self service at front of house or for holding food ready for service at back of house, the Chip Scuttle is designed to provide a continuous supply of chips and other fried food, quickly and easily. The scuttle has perforated drain plates remove excess oil and ensure chips are as crisp as possible. The fact that both the drain plates and the tank can be removed makes the scuttle very easy to clean. Great for schools, colleges, restaurants, hotels and cafes, the scuttle also has an adjustable temperature control.

AIA FILE NUMBER:

ITEM NUMBER:



LINCAT SILVERLINK ELECTRIC COUNTER-TOP CHIP SCUTTLE - W 450 MM - 0.5 KW

MODEL: CS4

WEIGHTS & DIMENSIONS

Width	450 mil
Depth	600 mil
Height	290 mil
Weight	15.7 kg

SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	55 cm
Ship Height	49.5 cm
Ship Weight	17.27 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	UK 3-Pin Plug
Electrical Total Amperage	2.2 A	Number of Electrical Plugs	1
Electrical Volts	230V	Electrical Connection Type	Cord and Plug
Electrical Total Wattage	500 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	0.5 kW	Dedicated Circuit Required	No
Electrical Phase	1-Phase	Electrical Remarks	Single

ADDITIONAL SPECIFICATIONS

Construction Materials	Stainless Steel
Control Type	Rotary Control Knob
Heated Base	Yes
Heated Gantry	No
Number of Pans	1
Ventless Cooking Technology	No
Sections	1
Style	Countertop

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

