



SILVERLINK 600

Fry perfectly crispy and fluffy chips every time with the powerful Silverlink 600 Electric Twin Tank Counter Top Fryer. Twice the tanks means twice the power with this fryer, which is capable of delivering 52kg of chips per hour. Not to mention the greater cooking versatility that twin tanks provide. It's ideal for mobile operations as well as cafes, pubs and restaurants. The fryer features an innovative deep cool zone, which collects cooking debris to prolong the life of the oil and therefore save you money. Sturdy stainless steel means it's built to last, hinged elements give easy access during cleaning, and you're in control via the accurate thermostat throughout the entire cooking process.

A/A FILE NUMBER:

PRODUCT OPTIONS AND ACCESSORIES

- BA96 BASKET SPUN DFSMALL
- CC6 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm
- CN6 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm
- SLS6 Lincat Silverlink 600 Free-standing Floor Stand - for units W 600 mm
- HC6 Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW
- HCL6 Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW

PRODUCT FEATURES

- Two independently operated fryer tanks for greater versatility, increased power delivers 52kg of chips per hour
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris - gives cleaner cooking results and saves money by prolonging the life of the oil
- Thermostatically controlled to give accurate cooking temperatures throughout cooking. Fail-safe top temperature cut out ensures safe operation.
- Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations
- Front drain off tap for easy removal of cooking oil

ITEM NUMBER:

WEIGHTS & DIMENSIONS

Width	600 mil
Depth	632 mil
Height	330 mil
Weight	25 kg

SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	70 cm
Ship Height	49.5 cm
Ship Weight	27.5 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric
Electrical Amps Per Conductor	Single Phase 2 x 26.0/ Three Phase L1=2 x 13.0; L2=2 x 13.0; L3=N/
Electrical Total Amperage	52 A
Electrical Volts	230-400V
Electrical Total Wattage	12000 W

Electrical Kilowatts	18 kW
Electrical Plug Type	Hardwired
Number of Electrical Plugs	2
Electrical Connection Type	Direct Hardwired
Number of Electrical Conductor Wires	2
Electrical Remarks	Single,Three

ADDITIONAL SPECIFICATIONS

Auto Oil Top-Off	No
Basket Lift Type	Not Applicable
Construction Materials	Stainless Steel
Control Type	Rotary Control Knob
Food Production Rate	36kg chips - 12mm [frozen], 52kg chips - 12mm [chilled] per hour
Fryer Type	Open Pot
Integrated Filtration	No
Number of Baskets	2

Number of Vats (batteries)	1
Total Oil Capacity (volume)	18 l
Oil Reclamation	No
Oil Temperature Control	Mechanical
Pumped Oil Filtration	No
Vat 1 Oil Capacity (volume)	9 l
Vat 2 Oil Capacity (volume)	9 l
Ventless Cooking Technology	No
Split Pot	Yes
Temperature Maximum	190 °C

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

