LINCAT SILVERLINK ELECTRIC COUNTER-TOP CHARGRILL WITH WATER CONNECTION - W 900 MM - 13.3 KW

MODEL: ECG9/WT

AIA FILE NUMBER:

ITEM NUMBER:



SILVERLINK 600

UKThe Silverlink 600 Electric Chargrill allows you to create that distinctive chargrilled flavour and fire branded appearance without the mess. The water bath keeps food succulent and reduces shrinkage, while the high heat retention cast iron grids ensure your output stays high throughout cooking - there's no need to wait for the grill to recover to cooking temperature. It's perfect for cafes, bars and restaurants.

PRODUCT OPTIONS AND ACCESSORIES

- SLS9 Lincat Silverlink 600 Free-standing Floor Stand - for units W 900 mm
- HCL9 Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 900 mm - 1.0 kW

PRODUCT FEATURES

- Offers the authentic taste and branded appearance of chargrilled food without the need for lava rock
- High heat retention of cast iron grids means there is no waiting for the grill to recover to cooking temperature
- Water connection for ease of use
- The water bath keeps food succulent and reduces shrinkage, while the high heat retention cast iron grids ensure your output stays high throughout operation
- Hinging interlocked elements and integral water bath makes cleaning easier
- Integral splashguard with water funnel enables refilling of tank without cooling the cooking grid
- High temperature safety cut out for protection if water bath runs dry

LINCAT SILVERLINK ELECTRIC COUNTER-TOP CHARGRILL WITH WATER CONNECTION - W 900 MM - 13.3 KW

MODEL: ECG9/WT

WEIGHTS & DIMENSIONS

Product Width	900 mm
Product Depth	620 mm
Product Height	385 mm
Product Dimensions (WxDxH) (mm)	900 Millimeter X 620 Millimeter X 385 Millimeter
Product Weight	45 kg
Product Clearance Required: Top	1,200 mm
Product Clearance Required: Back	100 mm
Product Clearance Required: Left Side	100 mm

SHIPPING DETAILS

Ship Width	101.5 cm
Ship Depth	72 cm
Ship Height	59.5 cm
Ship Weight	49.5 kg
Ship Method	Small Parcel (Ups Fedex Dhl)
Shipping Package Type	Pieces

WATER, PLUMBING, AND DRAINAGE SPECIFICATIONS

Water Inlet Pressure Minimum	0 Bar

PRODUCT CERTIFICATION ICONS

IP23 UK CA Made in UK

ENERGY SPECIFICATIONS

Primary Energy Type	Electric
Electrical Volts	400V

ADDITIONAL TECHNICAL SPECIFICATIONS

Cooking Area Plate Depth	400
Cooking Area Plate Width	780

bidding specifications


Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.


Document Auto-Generated


LINCAT SILVERLINK ELECTRIC COUNTER-TOP CHARGRILL WITH WATER CONNECTION - W 900 MM - 13.3 KW

MODEL: ECG9/WT

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated