



SILVERLINK 600

PRODUCT OPTIONS AND ACCESSORIES

- SLR9/SB SPLASHBACK

PRODUCT FEATURES

- Compact 600mm deep footprint perfect for care homes as well as smaller pubs and restaurants
- Six hotplates (1.5kW each) with six position control knob for each plate higher power for sautéing at the front, lower power to the rear ideal for simmering
- Automatic power reduction, if the pan boils dry or is removed, prolonging hotplate life
- Easy clean fully pressed and sealed hob
- Powerful 4kW fan assisted oven for uniform heat distribution and consistent cooking
- Easy clean fully pressed and sealed hob
- Double insulated doors, side and back panels providing safer operation, greater efficiency and economy
- Castors at rear to enable unit to be pulled out for deeper cleans

AIA FILE NUMBER:

ITEM NUMBER:

WEIGHTS & DIMENSIONS

Product Width	900 mm
Product Width (nominal)	900 in
Product Depth	670 mm
Product Height	932 mm
Product Weight	95 kg

SHIPPING DETAILS

Ship Width	100 cm
Ship Depth	81 cm
Ship Height	110 cm
Ship Weight	104.5 kg
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces

PRODUCT CERTIFICATION ICONS



ENERGY SPECIFICATIONS

Primary Energy Type	Electric
Electrical Volts	230V
Electrical Volts Icon	230V
Electrical Phase Icon	1PH

ADDITIONAL TECHNICAL SPECIFICATIONS

Cooking Plate Finish Material Type	Cast Iron Plate
Number of Hot Top Burners	6
Oven Power Rating	4 kW
Oven Temperature Minimum	50 °C
Oven Temperature Maximum	250 °C
Shelf Depth	342 mm
Shelf Width	700 mm

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING	ARRANGEMENT	WIDTH	DEPTH
Electric Round Hot Plate 1	3	2	Center Front	300 mm	300 mm
Electric Round Hot Plate 2	3	1.5	Center Rear	300 mm	300 mm



LINCAT SILVERLINK ELECTRIC FREE-STANDING OVEN RANGE -
CASTORS AT REAR - 6 PLATES - W 900 MM - 13.0 KW [1-PHASE]

MODEL: ESLR9C/SPH

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Standard Oven 1			725 mm	342 mm	428 mm

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

Lincat reserves the right to modify specifications or discontinue models
without incurring obligation. Dimensions nominal.

Document Auto-Generated

TECHNICAL DRAWING

