LINCAT SEAL COUNTER-TOP FOOD PREPARATION BAR - REFRIGERATED - W 1225 MM - 0.175 KW

MODEL: FPB5

AIA FILE NUMBER:

ITEM NUMBER:



UKPrepare perfect pizzas and sandwiches either at the front of house or back of house with the Seal Food Preparation Bar. Holding food at 3°C-7°C in ambient conditions up to 25°C, its low profile enables it to hold 150 mm gastronorm containers.

SEAL

PRODUCT OPTIONS AND ACCESSORIES

- PBG5 BACK SERVE GL. FPB5
- DBWB FDB WALL BRACKET
- SGP1505A GN PACK FOR FPB5 - 5 X 150mm DEEP 1/3 GN WITH ACRYLIC LIDS
- SGP1505 GN PACK FOR FPB5 - 5 X 150mm DEEP 1/3 GN WITH STAINLESS STEEL LIDS
- PBL5 S/S LID FOR FPB5

PRODUCT FEATURES

- The unit has precise thermostatic control of temperature with digital display and high/low temperature warning, which gives the user confidence that their food will stay fresh
- Holds food at 3°C-7°C in ambient conditions up to 25°C
- The unit is refrigerated from the sides and also the well basins giving even cool air distribution throughout the bar length
- Fully welded stainless steel construction — which gives the unit a stylish look but also means that it's hygienic and easy to clean
- Optional back service glass; self service glass; stainless steel hinged lid; wall brackets; gastronorm containers and lids

LINCAT SEAL COUNTER-TOP FOOD PREPARATION BAR - REFRIGERATED - W 1225 MM - 0.175 KW

MODEL: FPB5

WEIGHTS & DIMENSIONS

Product Width	1,225 mm
Product Depth	377 mm
Product Height	262 mm
Product Dimensions (WxDxH) (mm)	1225 Millimeter X 377 Millimeter X 262 Millimeter

SHIPPING DETAILS

Ship Width	133 cm
Ship Depth	48 cm
Ship Height	38 cm
Ship Weight	29.15 kg
Ship Method	Small Parcel (Ups Fedex Dhl)
Shipping Package Type	Pieces

PRODUCT CERTIFICATION ICONS

Made in UK UK CA IP21

ENERGY SPECIFICATIONS

Primary Energy Type	Electric
Electrical Volts	230V

bidding specifications

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated

LINCAT SEAL COUNTER-TOP FOOD PREPARATION BAR - REFRIGERATED - W 1225 MM - 0.175 KW

MODEL: FPB5

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

www.lincat.co.uk | p: +44 1522 875500 Whisby Road, Lincoln, LN6 3QZ, UK