LINCAT SILVERLINK ELECTRIC COUNTER-TOP GRIDDLE - EXTRA POWER - W 450 MM - 3.7 KW

MODEL: GS4/E

AIA FILE NUMBER:

ITEM NUMBER:



SILVERLINK 600

UKWhether you're cooking eggs, bacon, burgers or vegetables, the versatile Silverlink 600 Electric Griddle won't let you down. The hard-wearing 12 mm thick steel plate provides even heat distribution and excellent heat retention, while the griddle is thermostatically controlled to give accurate temperatures during the cooking process for consistent results. The griddle, which comes with an extra powered element to ensure maximum output for busy kitchens, is perfect for cafes, pubs and restaurants. It's designed to plug in and play, so you'll be cooking mouthwatering dishes in no time.

PRODUCT OPTIONS AND ACCESSORIES

- SB4 450 GRIDDLE SPLASHB
- CC4 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 450 mm
- CN4 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 450 mm
- SLS4 Lincat Silverlink 600 Free-standing Floor Stand - for units W 450 mm
- HC4 Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 450 mm - 0.5 kW
- HCL4 Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 450 mm - 0.5 kW

PRODUCT FEATURES

- Extra powered element for maximum output for a busy kitchen
- Hard wearing 12 mm think machined steel plate providing even heat distribution and excellent heat retention
- Thermostatically controlled to give accurate temperatures during the cooking process for consistent results
- Removable front drainer drawer which also makes for easy cleaning. Ideal for busy establishments
- The plate is fully welded into the frame to prevent leaks and places where food and carbon can build up

LINCAT SILVERLINK ELECTRIC COUNTER-TOP GRIDDLE - EXTRA POWER - W 450 MM - 3.7 KW

MODEL: GS4/E

WEIGHTS & DIMENSIONS

Product Width	450 mm
Product Depth	600 mm
Product Height	330 mm
Product Dimensions (WxDxH) (mm)	450 Millimeter X 600 Millimeter X 330 Millimeter
Product Weight	32 kg
Product Clearance Required: Top	1,000 mm
Product Clearance Required: Back	100 mm
Product Clearance Required: Left Side	100 mm

SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	55 cm
Ship Height	57 cm
Ship Weight	35.2 kg
Ship Method	Small Parcel (Ups Fedex Dhl)
Shipping Package Type	Pieces

PRODUCT CERTIFICATION ICONS

UK CA Made in UK IP33

ENERGY SPECIFICATIONS

Primary Energy Type	Electric
Electrical Volts	230V

ADDITIONAL TECHNICAL SPECIFICATIONS

Cooking Area Plate Depth	405 mm
Cooking Area Plate Width	412 mm
Plate Thickness	12 mm
Temperature Minimum	50 °C
Temperature Maximum	250 °C

bidding specifications

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated

LINCAT SILVERLINK ELECTRIC COUNTER-TOP GRIDDLE - EXTRA POWER - W 450 MM - 3.7 KW

MODEL: GS4/E

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated