LINCAT SILVERLINK PROPANE GAS COUNTER-TOP GRIDDLE - STEEL PLATE - W 750 MM - 8.0 KW

MODEL: GS7/P

AIA FILE NUMBER:

ITEM NUMBER:



SILVERLINK 600

UKWhether you're cooking eggs, bacon, burgers or vegetables, the versatile Silverlink 600 Gas Griddle won't let you down. The hard-wearing 12 mm thick steel plate provides even heat distribution and an easy to clean surface, while there's also piezo ignition for easy lighting of the burners. The griddle features two separately controlled heat zones, which give you the option of operating either zone independently to provide a smaller cooking area during quiet periods as well as offering versatility when cooking two separate meals simultaneously. The griddle, perfect for cafes, pubs and restaurants, is also thermostatically controlled to give accurate temperatures during the cooking process for consistent results.

PRODUCT OPTIONS AND ACCESSORIES

- SB7 750 GRIDDLE SPLASHB
- CH01 CATERFLEX HOSE 1/2" 1 METRE
- CH02 CATERFLEX HOSE 1/2" 1.5 METRE
- CN7 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 750 mm
- SLS7 Lincat Silverlink 600 Free-standing Floor Stand - for units W 750 mm

PRODUCT FEATURES

- 12 mm thick machined steel plate providing even heat distribution and an easy to clean surface
- Thermostatically controlled to give accurate temperatures during the cooking process for consistent results
- Two separately controlled heat zones give you the option of operating either zone independently to provide a smaller cooking area during quiet periods as well as offering versatility when cooking two separate meals simultaneously
- The plate is fully welded into the frame to prevent leaks and places where food and carbon can build up
- Front mounted control for easy of use during cooking
- Piezo ignition for easy lighting of the burners
- Flame failure device for maximum safety

LINCAT SILVERLINK PROPANE GAS COUNTER-TOP GRIDDLE - STEEL PLATE - W 750 MM - 8.0 KW

MODEL: GS7/P

WEIGHTS & DIMENSIONS

Product Width	750 mm
Product Depth	650 mm
Product Height	415 mm
Product Dimensions (WxDxH) (mm)	750 Millimeter X 650 Millimeter X 415 Millimeter
Product Weight	54 kg
Product Clearance Required: Top	750 mm
Product Clearance Required: Back	50 mm
Product Clearance Required: Left Side	50 mm

SHIPPING DETAILS

Ship Width	85.5 cm
Ship Depth	70 cm
Ship Height	63.5 cm
Ship Weight	59.4 kg
Ship Method	Small Parcel (Ups Fedex Dhl)
Shipping Package Type	Pieces

PRODUCT CERTIFICATION ICONS

ENERGY SPECIFICATIONS

Primary Energy Type	Gas
Electrical Kilowatts	8

ADDITIONAL TECHNICAL SPECIFICATIONS

Cooking Area Plate Depth	405 mm
Cooking Area Plate Width	712 mm
Number of Burners	2
Plate Thickness	12 mm
Temperature Minimum	50 °C
Temperature Maximum	250 °C

bidding specifications


Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.


Document Auto-Generated


LINCAT SILVERLINK PROPANE GAS COUNTER-TOP GRIDDLE - STEEL PLATE - W 750 MM - 8.0 KW

MODEL: GS7/P

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated