



SILVERLINK 600

Designed to suite with other products in the Silverlink 600 range, the Heated Pedestal features an on/off switch and thermostatic control, making it ideal as a plate warmer.

PRODUCT OPTIONS AND ACCESSORIES

- PSH4 - Pedestal Shelf

PRODUCT FEATURES

- Designed to suite with the Silverlink 600 range
- Features an on/off switch and thermostatic control, making them ideal as plate warmers
- Silverlink 600 counter-top units are securely attached to pedestals by means of fixing screws supplied
- Adjustable shelf provides flexibility for storing bulky items
- Adjustable legs for perfect alignment even on uneven floors

AIA FILE NUMBER:

ITEM NUMBER:

WEIGHTS & DIMENSIONS

| | |
|--------|---------|
| Width | 450 mm |
| Depth | 600 mm |
| Height | 668 mm |
| Weight | 22.7 kg |

SHIPPING DETAILS

| | |
|--------------------------|--------------------------------|
| Ship Width | 71.5 cm |
| Ship Depth | 53 cm |
| Ship Height | 74.5 cm |
| Ship Weight | 24.97 kg |
| Ship Method | Small Parcel (FedEx, UPS, DHL) |
| Shipping Package Type | Pieces |
| Shipping Origin Zip Code | LN6 3QZ, UNITED KINGDOM |
| Quick Ship Product | No |

WATER, PLUMBING, AND DRAINAGE SPECS

| | |
|---------------------|----|
| Water Line Required | No |
| Drain Line Required | No |

PRODUCT CERTIFICATIONS



ENERGY SPECS

| | |
|---------------------------|----------|
| Primary Energy Type | Electric |
| Electrical Total Amperage | 2.2 A |
| Electrical Volts | 230V |
| Electrical Total Wattage | 500 W |
| Electrical Kilowatts | 0.5 kW |
| Electrical Phase | 1-Phase |

| | |
|--------------------------------------|---------------|
| Electrical Plug Type | UK 3-Pin Plug |
| Number of Electrical Plugs | 1 |
| Electrical Connection Type | Cord and Plug |
| Number of Electrical Conductor Wires | 1 |
| Dedicated Circuit Required | No |
| Electrical Remarks | Single |

ADDITIONAL SPECIFICATIONS

| | |
|------------------------|---------------------|
| Cabinet Size | Undercounter Height |
| Construction Materials | Stainless Steel |
| Control Type | Mechanical, On/Off |
| Heating System | Electric |
| Humidity Generation | No |
| Insulated | No |
| Internal Depth | 566 mm |
| Internal Height | 422 mm |

| | |
|---------------------------|------------------|
| Internal Width | 448 mm |
| Number of Shelf Positions | 3 |
| Number of Shelves | 1 |
| Shelf Depth | 530 mm |
| Shelf Width | 400 mm |
| Style | Enclosed Cabinet |
| Temperature Maximum | 70 °C |
| Temperature Minimum | 70 °C |



LINCAT SILVERLINK FREE-STANDING HEATED PEDESTAL WITH
LEGS AND DOORS - W 450 MM - 0.5 KW

MODEL: HCL4

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.