

LINCAT PANTHER HOT HOLD BINS - 2 X GN1/1 CAPACITY - 1.8 KW

MODEL: HHB12100



With two independently controlled compartments that can be configured with gastronorm pans of various sizes, the HHB12100 allows you to keep a wide range of food types at the ideal serving temperature for extended periods. This flexibility helps maintain food quality for longer, reducing both food waste and queue times.

PANTHER

PRODUCT OPTIONS AND ACCESSORIES

- DVD01 Divider for using 2 x GN2/4 food pans in Panther HHB12100
- BLA1/1 GN1/1 Slider Cover for use with Panther HHB
- BLA2/4 GN2/4 Slider Cover for use with Panther HHB
- H-PAN01 High Heat Resistant Food Pan GN1/1 100 mm deep
- H-PAN04 High Heat Resistant Food Pan Long Half GN2/4 100 mm deep
- H-PAN02 High Heat Resistant GN1/1 Drain Plate

PRODUCT FEATURES

- Reduces waste safely holds food for over an hour without loss of flavour, texture or shrinkage
- Flexible use with 2 x 1/1GN, 4 x 2/4GN or a combination of these! Additional dividers required for 2/4GN.
- Independently controlled adjustable temperature for each bin
- Independently controlled upper and lower bins, switch off one bin during quieter periods to save energy
- Easy-access open design speeds up service
- Intuitive digital controls
- Hold foods at serving temperature for longer periods of time, reducing waste









MODEL: HHB12100

WEIGHTS & DIMENSIONS	
Width	450 mil
Depth	640 mil
Height	375 mil
Weight	27 kg

SHIPPING DETAILS	
Ship Width	72 cm
Ship Depth	72 cm
Ship Height	52 cm
Ship Weight	33.6 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS			
Primary Energy Type	Electric	Electrical Plug Type	UK 3-Pin Plug
Electrical Total Amperage	7.82 A	Number of Electrical Plugs	1
Electrical Volts	230V	Electrical Connection Type	Cord and Plug
Electrical Total Wattage	1800 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	1.8 kW	Dedicated Circuit Required	No
Electrical Phase	1-Phase	Electrical Remarks	Single

ADDITIONAL SPECIFICATIONS			
Cabinet Style	Pan	Internal Depth	610 mm
Construction Materials	Stainless Steel	Internal Height	120 mm
Control Type	Touchpad, Mechanical	Internal Width	340 mm
Gastronorm Capacity	2 x GN1/1, 4 x GN2/4	Ventless Cooking Technology	No
Heat Location	Bottom Only	Temperature Maximum	160 °C

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.


Document Auto-Generated March 24, 2025







MODEL: HHB12100

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated March 24, 2025