LINCAT SILVERLINK ELECTRIC FREE-STANDING TWIN TANK FRYER - 2 BASKETS - W 600 MM - 2 X 6.0 KW

MODEL: J12

AIA FILE NUMBER:

ITEM NUMBER:



SILVERLINK 600

UKDeliver perfectly crisp on the outside and fluffy on the inside chips time after time with the Silverlink 600 Free Standing Electric Fryer. Two independently operated fryer tanks means you have greater versatility while cooking, with a power that delivers 52kg of chips an hour. Ideal for cafes, pubs and restaurants, the fryer is built from sturdy stainless steel, while the heavy duty nickel plated baskets are designed for the most demanding of operations. You're in control via the accurate thermostat throughout the entire cooking process, and hinged elements give easy access during cleaning. Then there's the innovative deep cool zone, which collects cooking debris to prolong the life of the oil and therefore save you money.

PRODUCT OPTIONS AND ACCESSORIES

- BA96 BASKET SPUN DFSMALL

PRODUCT FEATURES

- Two independently operated fryer tanks for greater versatility, delivers 52kg of chips per hour
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris gives cleaner cooking results and saves money by prolonging the life of the oil
- Internal drain off tap for easy removal of cooking oil
- Internal drain off tap for easy removal of cooking oil
- Front drain off tap for easy removal of cooking oil

LINCAT SILVERLINK ELECTRIC FREE-STANDING TWIN TANK FRYER - 2 BASKETS - W 600 MM - 2 X 6.0 KW

MODEL: J12

WEIGHTS & DIMENSIONS

Product Width	600 mm
Product Depth	632 mm
Product Height	980 mm
Product Dimensions (WxDxH) (mm)	600 Millimeter X 632 Millimeter X 980 Millimeter
Product Weight	44 kg
Product Clearance Required: Top	1,000 mm
Product Clearance Required: Back	100 mm
Product Clearance Required: Left Side	100 mm

SHIPPING DETAILS

Ship Width	78 cm
Ship Depth	78 cm
Ship Height	110 cm
Ship Weight	48.4 kg
Ship Method	Small Parcel (Ups Fedex Dhl)
Shipping Package Type	Pieces

PRODUCT CERTIFICATION ICONS

Made in UK UKCA IP34

ENERGY SPECIFICATIONS

Primary Energy Type	Electric
Electrical Volts	230-400V

ADDITIONAL TECHNICAL SPECIFICATIONS

Basket Lift Type	Not Applicable
Food Production Rate	36kg chips -12mm [frozen], 52kg chips - 12mm [chilled] per hour
Temperature Maximum	190 °C
Total Oil Capacity (volume)	18 l
Vat 1 Oil Capacity (volume)	9 l
Vat 2 Oil Capacity (volume)	9 l

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated

LINCAT SILVERLINK ELECTRIC FREE-STANDING TWIN TANK FRYER - 2 BASKETS - W 600 MM - 2 X 6.0 KW

MODEL: J12

bidding specifications

TECHNICAL DRAWING



Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated