LINCAT SILVERLINK ELECTRIC FREE-STANDING SINGLE TANK FRYER - 1 BASKET - W 300 MM - 6.0 KW

MODEL: J6

AIA FILE NUMBER:

ITEM NUMBER:



SILVERLINK 600

UKDeliver perfectly crisp on the outside and fluffy on the inside chips time after time with the Silverlink 600 Free Standing Electric Fryer. The single tank is capable of delivering 26kg of chips an hour. Ideal for pubs, restaurants and care homes, the fryer is built from sturdy stainless steel, while the heavy duty nickel plated baskets are designed for the most demanding of operations. You're in control via the accurate thermostat throughout the entire cooking process, and hinged elements give easy access during cleaning. Then there's the innovative deep cool zone, which collects cooking debris to prolong the life of the oil and therefore save you money.

PRODUCT OPTIONS AND ACCESSORIES

- BA96 BASKET SPUN DFSMALL

PRODUCT FEATURES

- Single tank fryer delivering 26kg of chips an hour, perfect for pubs, restaurants and care homes
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris gives cleaner cooking results and saves money by prolonging the life of the oil
- Internal drain off tap for easy removal of cooking oil
- Internal drain off tap for easy removal of cooking oil
- Front drain off tap for easy removal of cooking oil

LINCAT SILVERLINK ELECTRIC FREE-STANDING SINGLE TANK FRYER - 1 BASKET - W 300 MM - 6.0 KW

MODEL: J6

WEIGHTS & DIMENSIONS

Product Width	300 mm
Product Depth	632 mm
Product Height	980 mm
Product Dimensions (WxDxH) (mm)	300 Millimeter X 632 Millimeter X 980 Millimeter
Product Weight	25 kg
Product Clearance Required: Top	1,000 mm
Product Clearance Required: Back	100 mm
Product Clearance Required: Left Side	100 mm

SHIPPING DETAILS

Ship Width	114 cm
Ship Depth	75 cm
Ship Height	53 cm
Ship Weight	28.49 kg
Ship Method	Small Parcel (Ups Fedex Dhl)
Shipping Package Type	Pieces

PRODUCT CERTIFICATION ICONS

Made in UK UKCA IP34

ENERGY SPECIFICATIONS

Primary Energy Type	Electric
Electrical Volts	230-400V

ADDITIONAL TECHNICAL SPECIFICATIONS

Basket Lift Type	Not Applicable
Food Production Rate	18kg chips -12mm [frozen], 26kg chips - 12mm [chilled] per hour
Temperature Maximum	190 °C
Total Oil Capacity (volume)	9 l
Vat 1 Oil Capacity (volume)	9 l

bidding specifications


Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated

LINCAT SILVERLINK ELECTRIC FREE-STANDING SINGLE TANK FRYER - 1 BASKET - W 300 MM - 6.0 KW

MODEL: J6

TECHNICAL DRAWING



Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated