



SEAL

PRODUCT OPTIONS AND ACCESSORIES

- LDBM2 Bain Marie Adaptor for LD2 - inc. 2 x 2/3GN Dishes and Lids

The Seal Heated Display with Gantry is perfect for when you want to attract customers with delicious dishes and offer a low budget solution to keeping pre-cooked food warm at the same time. The display is Ideal for numerous uses, including front of house in smaller hotels for breakfast goods, carveries in small pubs and restaurants, and anywhere you want to offer customers self service. Easily portable, it can be set up where needed making it ideal for permanent and mobile operations. The thermostatic control allows base heat to be adjusted to suit a variety of food products.

PRODUCT FEATURES

- Minimum food holding temperature of 72°C
- Thermostatic control allows base heat to be adjusted to suit a variety of food products
- Aluminium surface for energy-efficient heat conduction
- An affordable choice for when overhead heat and illumination is not needed — for example where covered dishes are served
- Robust stainless steel construction — hygienic and easy to clean



LINCAT SEAL COUNTER-TOP HEATED DISPLAY WITH GANTRY - 2 X 1/1 GN - W 790 MM - 1.5 KW

MODEL: LD2

WEIGHTS & DIMENSIONS

Width	790 mil
Depth	538 mil
Height	560 mil
Weight	18.7 kg

SHIPPING DETAILS

Ship Width	70.3 cm
Ship Depth	70.3 cm
Ship Height	88.3 cm
Ship Weight	20.57 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	UK 3-Pin Plug
Electrical Total Amperage	6.5 A	Number of Electrical Plugs	1
Electrical Volts	230V	Electrical Connection Type	Cord and Plug
Electrical Total Wattage	1500 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	1.5 kW	Dedicated Circuit Required	No
Electrical Phase	1-Phase	Electrical Remarks	Single

ADDITIONAL SPECIFICATIONS

Construction Materials	Stainless Steel	Heated Base	Yes
Control Type	Rotary Control Knob	Number of Shelf Positions	not_applicable
Display Case Front Design Style	Open Front	Number of Shelves	Not Applicable
Display Case Service Type	Back of House Service, Customer Self Service, Front of House Service	Rack Type	Stainless
Display Case Type	Heated	Shelf Depth	538 mm
Gastronorm Capacity	2 x GN1/1	Shelf Width	790 mm
		Type of Lighting	Halogen

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

