



LYNX⁴⁰⁰

PRODUCT FEATURES

- Firebrick base to produce high-quality, crisp pizzas with authentic taste
- Base capacity up to 14" pizzas
- Make a style statement with this black pizza oven
- Easy plug and play operation - 13A plug
- Temperature display gauge for easy monitoring
- Independently controlled top and bottom elements
- 18 minute timer
- Maximum temperature 400°C
- Easy clean stainless steel design
- Robust door hinges

Our new Lynx 400 pizza deck oven enables the smallest of outlets to create delicious, professional pizzas. With its firebrick base, whether you are cooking deep pan, thin crust, fresh dough, part baked or frozen pizzas you are ensured an authentic, crisp taste.

A/A FILE NUMBER:

ITEM NUMBER:



LINCAT LYNX ELECTRIC COUNTER-TOP PIZZA OVEN - SINGLE-DECK - BLACK - W 530 MM - 2.2 KW

MODEL: LDPO/B

WEIGHTS & DIMENSIONS

| | |
|--------|---------|
| Width | 530 mil |
| Depth | 558 mil |
| Height | 300 mil |
| Weight | 30 kg |

SHIPPING DETAILS

| | |
|--------------------------|--------------------------------|
| Ship Width | 78 cm |
| Ship Depth | 78 cm |
| Ship Height | 66.5 cm |
| Ship Weight | 33 kg |
| Ship Method | Small Parcel (FedEx, UPS, DHL) |
| Shipping Package Type | Pieces |
| Shipping Origin Zip Code | LN6 3QZ, UNITED KINGDOM |
| Quick Ship Product | No |

WATER, PLUMBING, AND DRAINAGE SPECS

| | |
|---------------------|----|
| Water Line Required | No |
| Drain Line Required | No |

PRODUCT CERTIFICATIONS



ENERGY SPECS

| | | | |
|---------------------------|----------|--------------------------------------|---------------|
| Primary Energy Type | Electric | Electrical Plug Type | UK 3-Pin Plug |
| Electrical Total Amperage | 9.6 A | Number of Electrical Plugs | 1 |
| Electrical Volts | 230V | Electrical Connection Type | Cord and Plug |
| Electrical Total Wattage | 2200 W | Number of Electrical Conductor Wires | 1 |
| Electrical Kilowatts | 2.2 kW | Dedicated Circuit Required | No |
| Electrical Phase | 1-Phase | Electrical Remarks | Single |

ADDITIONAL SPECIFICATIONS

| | | | |
|-------------------------------|---------------------|-----------------------------|------------------------------|
| Brick Lined | Yes | Display Style Oven | Yes |
| Construction Materials | Stainless Steel | Interior | Stainless Steel |
| Control Type | Rotary Control Knob | Number Of Cooking Chambers | 1 |
| Cooking Chamber Depth | 408 mm | Number of Decks | 1 |
| Cooking Chamber Height | 100 mm | Ventless Cooking Technology | No |
| Cooking Chamber Width | 408 mm | Temperature Maximum | 400 °C |
| Deck Cooking Depth | 408 mm | Temperature Minimum | 100 °C |
| Deck Cooking Width | 408 mm | Timer Type | Mechanical/Traditional Timer |
| Deck Cooking Height Chamber 1 | 100 mm | | |
| Deck Material | Brick | | |

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
March 24, 2025

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

