



The Opus 800 range Electric 6 plate oven combines power with versatility. Suitable for a variety of busy commercial kitchens, from large pubs and restaurants to large hospitals, school canteens and care homes, the oven comes with powerful heavyduty cast iron square hotplates which deliver fast responsive heat, as well as a large 4 x GN1/1 capacity oven enabling four different foods to be cooked simultaneously. The oven's fully pressed sealed hob makes for easy cleaning.

PRODUCT OPTIONS AND ACCESSORIES

OA8982 SPLASHBACK/SHELF

PRODUCT FEATURES

- Powerful heavy-duty cast iron 2.6kW square hotplates deliver fast responsive heat
- Fully pressed sealed hob for easy cleaning
- Large 4 x GN1/1 capacity oven enabling four different foods to be cooked simultaneously









WEIGHTS & DIMENSIONS	
Width	900 mil
Depth	800 mil
Height	925 mil
Weight	138.3 kg

SHIPPING DETAILS	
Ship Width	100 cm
Ship Depth	85 cm
Ship Height	104 cm
Ship Weight	152.13 kg
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



Electric	E
L1=31.3; L2=31.3;	_ E
L3=31.3	N
93.9 A	Е
400V	N
21600 W	D
21.6 kW	Е
	L1=31.3; L2=31.3; L3=31.3 93.9 A 400V 21600 W

Electrical Phase	3-Phase
Electrical Plug Type	Hardwired
Number of Electrical Plugs	Not Applicable
Electrical Connection Type	Direct Hardwired
Number of Electrical Conductor Wires	1
Dedicated Circuit Required	Yes
Electrical Remarks	Three

ADDITIONAL SPECIFICATIONS	
Construction Materials	Stainless Steel
Control Type	Rotary Control Knob
Cooking Plate Finish Material Type	Stainless Steel
Gastronorm Capacity	4 x GN1/1
High Altitude Kit Available	No
Number of Heating Zones	6
Number of Hot Top Burners	6
Number of Shelf Positions	5
Number of Shelves	3

Open or Sealed Burners	Not Applicable
Oven Power Rating	6 kW
Oven Temperature Minimum	130 °C
Oven Temperature Maximum	250 °C
Shelf Depth	512 mm
Shelf Width	710 mm
Ventless Cooking Technology	No
Cooking Equipment	Hob 1
BTUs Per Burner	2.6 KW

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated March 24, 2025







SELECT COOKING EQUIPMENT	NUMBER OF		POWER RATING	ARRANGE- MENT	WIDTH	DEPTH
Electric Elements		6		Center	220 mm	220 mm
SELECT BASE EQUIPMENT	NUMBER OF		CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Standard Oven 1		1		715 mm	512 mm	405 mm

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.


Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.


Document Auto-Generated March 24, 2025






TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated March 24, 2025