



*Opus* **800**

#### PRODUCT OPTIONS AND ACCESSORIES

- FI41 AIR FILTER - IH21, IH3
- LK06 OPUS 800 LEG KIT

#### PRODUCT FEATURES

- Powerful 5kW, 260mm width induction zones
- Automatic pan detection function cuts power when no pan is present, preventing harm to users, while saving energy
- Multiple internal cooling fans and overheat protection for long service life
- Powerful 4kW fan assisted oven for even cooking results
- Large 3 x GN1/1 capacity oven enabling three different foods to be cooked simultaneously

Embrace the energy efficient power of the Opus 800 Induction Range. Delivering 90% efficiency when compared with a solid electric hot plate at 55% and gas hob at 50%, ventilation and air conditioning costs can also be reduced with the innovative induction process, as the heat is generated in the pan instead of the hob surface, focusing energy where it's needed and not wasting it into the kitchen. The powerful fan assisted oven ensures even cooking results, while its large 3 x GN1/1 capacity enables three different foods to be cooked simultaneously. Built to last, the oven features multiple internal cooling fans and overheat protection.

AIA FILE NUMBER:

ITEM NUMBER:

#### WEIGHTS & DIMENSIONS

Width	900 mil
Depth	800 mil
Height	900 mil
Weight	140 kg

#### SHIPPING DETAILS

Ship Width	100 cm
Ship Depth	85 cm
Ship Height	104 cm
Ship Weight	154 kg
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

#### PRODUCT CERTIFICATIONS



#### ENERGY SPECS

Primary Energy Type	Electric	Electrical Phase	3-Phase
Electrical Amps Per Conductor	L1=34.8; L2=34.8; L3=34.8	Electrical Plug Type	Hardwired
Electrical Total Amperage	104.4 A	Number of Electrical Plugs	Not Applicable
Electrical Volts	400V	Electrical Connection Type	Direct Hardwired
Electrical Total Wattage	24000 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	24 kW	Dedicated Circuit Required	Yes
		Electrical Remarks	Three

#### ADDITIONAL SPECIFICATIONS

Construction Materials	Stainless Steel	Open or Sealed Burners	Not Applicable
Control Type	Rotary Control Knob	Oven Power Rating	4 kW
Cooking Plate Finish Material Type	Ceran Glass	Oven Temperature Minimum	130 °C
Gastronorm Capacity	2 x GN1/1	Oven Temperature Maximum	250 °C
High Altitude Kit Available	No	Shelf Depth	510 mm
Number of Heating Zones	4	Shelf Width	480 mm
Number of Hot Top Burners	4	Ventless Cooking Technology	No
Number of Shelf Positions	4	Cooking Equipment	Hob 1
Number of Shelves	2	BTUs Per Burner	5 KW



LINCAT OPUS ELECTRIC FREE-STANDING INDUCTION OVEN  
RANGE - W 900 MM - 24.0 KW

**MODEL: OE8017**

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING	ARRANGE- MENT	WIDTH	DEPTH
Induction Burner 1	4	5	Center	260 mm	260 mm

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Standard Oven 1	1		525 mm	510 mm	420 mm

**BIDDING SPECIFICATIONS (SHORT FORM SPECS)**

Bidding Specifications Not Available.

### TECHNICAL DRAWING

