LINCAT OPUS ELECTRIC FREE-STANDING INDUCTION OVEN RANGE - W 900 MM - 24.0 KW

MODEL: OE8017



Opus 800

UKEmbrace the energy efficient power of the Opus 800 Induction Range. Delivering 90% efficiency when compared with a solid electric hot plate at 55% and gas hob at 50%, ventilation and air conditioning costs can also be reduced with the innovative induction process, as the heat is generated in the pan instead of the hob surface, focusing energy where it's needed and not wasting it into the kitchen. The powerful fan assisted oven ensures even cooking results, while its large 3 x GN1/1 capacity enables three different foods to be cooked simultaneously. Built to last, the oven features multiple internal cooling fans and overheat protection.

PRODUCT OPTIONS AND ACCESSORIES

- FI41 AIR FILTER - IH21, IH3
- LK06 OPUS 800 LEG KIT

PRODUCT FEATURES

- Powerful 5kW, 260mm width induction zones
- Automatic pan detection function cuts power when no pan is present, preventing harm to users, while saving energy
- Multiple internal cooling fans and overheat protection for long service life
- Powerful 4kW fan assisted oven for even cooking results
- Large 3 x GN1/1 capacity oven enabling three different foods to be cooked simultaneously

AIA FILE NUMBER:

ITEM NUMBER:

LINCAT OPUS ELECTRIC FREE-STANDING INDUCTION OVEN RANGE - W 900 MM - 24.0 KW

MODEL: OE8017

WEIGHTS & DIMENSIONS

Product Width	900 mm
Product Depth	800 mm
Product Height	900 mm
Product Dimensions (WxDxH) (mm)	900 Millimeter X 800 Millimeter X 900 Millimeter
Product Weight	140 kg
Product Clearance Required: Top	1,000 mm
Product Clearance Required: Back	100 mm
Product Clearance Required: Left Side	100 mm

SHIPPING DETAILS

Ship Width	100 cm
Ship Depth	85 cm
Ship Height	104 cm
Ship Weight	154 kg
Ship Method	Ltl Common Carrier
Shipping Package Type	Pieces

PRODUCT CERTIFICATION ICONS

IP24 UK CA Made in UK

ENERGY SPECIFICATIONS

Primary Energy Type	Electric
Electrical Volts	400V

ADDITIONAL TECHNICAL SPECIFICATIONS

Number of Heating Elements	4
Oven Power Rating	4
Oven Temperature Minimum	130
Oven Temperature Maximum	250
Shelf Depth	510

SELECT_COOKING_EQUIPMENT	NUMBER_OF	POWER_RATING	ARRANGE-MENT_LEFT_OR_RIGHT	WIDTH	DEPTH
Induction_Burner	4	5	Center	260 mm	260 mm

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated

LINCAT OPUS ELECTRIC FREE-STANDING INDUCTION OVEN RANGE - W 900 MM - 24.0 KW

MODEL: OE8017

SELECT_BASE_EQUIPMENT	NUMBER_OF	CAPACITY	WIDTH	DEPTH	HEIGHT
Standard_Oven_1	1		525 mm	510 mm	420 mm

bidding specifications


Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.


www.lincat.co.uk | p: +44 1522 875500 Whisby Road, Lincoln, LN6 3QZ, UK


LINCAT OPUS ELECTRIC FREE-STANDING INDUCTION OVEN RANGE - W 900 MM - 24.0 KW

MODEL: OE8017

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated