



Opus 800

PRODUCT OPTIONS AND ACCESSORIES

- OA8921 Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 400 mm
- OA8971 Lincat Opus 800 Free-standing Pedestal with Doors and Legs - for units W 400 mm

PRODUCT FEATURES

- Two powerful 5.3kW, 270mm width induction zones
- Automatic pan detection function cuts power when no pan is present, preventing harm to users, while saving energy
- Multiple internal cooling fans and overheat protection for long service life
- Easy to change filter built into the base of the unit
- No open flames so no radiating heat - reduce ambient temperature of kitchen for a more comfortable working temperature
- Delivers 90% efficiency compared to 55% with a solid electric hot plate and 50% with a gas hob
- Designed to suite with Opus 800 series and available with Opus 800 stands and pedestals

Combining raw power with energy efficiency, the Opus 800 2 Zone Induction Hob delivers 90% efficiency compared to 55% with a solid electric hot plate and 50% with a gas hob. Designed to suite with Opus 800 series and available with Opus 800 stands and pedestals, the hob is suitable for any busy commercial kitchen, large pubs and restaurants, large hospitals, school canteens, care homes and high volume production kitchens. The hob features an automatic pan detection function which cuts power when no pan is present, preventing harm to users and saving energy at the same time. Built to last, it also comes with multiple internal cooling fans and overheat protection.

WEIGHTS & DIMENSIONS

Width	400 mil
Depth	800 mil
Height	308 mil
Weight	24 kg

SHIPPING DETAILS

Ship Width	85 cm
Ship Depth	45 cm
Ship Height	63 cm
Ship Weight	26.4 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Phase	3-Phase
Electrical Amps Per Conductor	L1=15.3; L2=15.3; L3=15.3	Electrical Plug Type	Hardwired
Electrical Total Amperage	45.9 A	Number of Electrical Plugs	Not Applicable
Electrical Volts	400V	Electrical Connection Type	Direct Hardwired
Electrical Total Wattage	10600 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	10.6 kW	Dedicated Circuit Required	Yes
		Electrical Remarks	Three

ADDITIONAL SPECIFICATIONS

Construction Materials	Stainless Steel	Number of Hot Top Burners	2
Control Type	Electronic	Number of Shelves	Not Applicable
Cooking Plate Finish Material Type	Ceran Glass	Open or Sealed Burners	Not Applicable
High Altitude Kit Available	No	Ventless Cooking Technology	No
Number of Heating Zones	2		

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING	ARRANGE- MENT	WIDTH	DEPTH
Induction Burner 1	2	5.3	Center	270 mm	270 mm



LINCAT OPUS ELECTRIC COUNTER-TOP INDUCTION HOB - W 400
MM - 10.6 KW

MODEL: OE8018

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Not Applicable For This Item					

BIDDING SPECIFICATIONS (SHORT FORM SPECS)
Bidding Specifications Not Available.



TECHNICAL DRAWING

