LINCAT OPUS ELECTRIC COUNTER-TOP GRIDDLE - CHROME PLATE - W 900 MM - 12.0 KW

MODEL: OE8206/C

AIA FILE NUMBER:

ITEM NUMBER:



Opus 800

UKDesigned for quality cooking at speed, the Opus 800 Electric Chrome Griddle heats up quicker than standard griddles with less energy loss as well as reduced energy radiation, keeping the kitchen cooler for staff and reducing pressure on the ventilation system. Not only is heat is transfered more efficiently than with a standard griddle, but the precise thermostatic control up to 300°C means that you're always in control, whether your cooking meat, eggs or vegetables. Perfect for any busy commercial kitchen, the chrome griddle comes with two separately controlled heat zones, which allow for the versatility of operating either zone independently when cooking two separate meals simultaneously.

PRODUCT OPTIONS AND ACCESSORIES

- OA8914/C Lincat Opus 800 Free-standing Floor Stand with Castors - for units W 900 mm
- OA8914 Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 900 mm
- OA8973/C Lincat Opus 800 Free-standing Pedestal with Doors and Castors - for units W 900 mm
- OA8973 Lincat Opus 800 Free-standing Pedestal with Doors and Legs - for units W 900 mm
- LK11 OPUS 800 LONG LEG KIT

PRODUCT FEATURES

- Chrome surface heats up quicker than standard griddles with less energy loss as well as reduced energy radiation, keeping the kitchen cooler for staff and reducing pressure on the ventilation system
- Precise thermostatic control up to 300°C for consistent results and economical operation
- Transfers heat to food more efficiently than a standard griddle
- Two separately controlled heat zones give you the option of operating either zone independently to provide a smaller cooking area during quiet periods as well as offering versatility when cooking two separate meals simultaneously

LINCAT OPUS ELECTRIC COUNTER-TOP GRIDDLE - CHROME PLATE - W 900 MM - 12.0 KW

MODEL: OE8206/C

WEIGHTS & DIMENSIONS

Product Width	900 mm
Product Depth	800 mm
Product Height	428 mm
Product Dimensions (WxDxH) (mm)	900 Millimeter X 800 Millimeter X 428 Millimeter
Product Weight	118 kg
Product Clearance Required: Top	1,000 mm
Product Clearance Required: Back	100 mm
Product Clearance Required: Left Side	100 mm

SHIPPING DETAILS

Ship Width	100 cm
Ship Depth	85 cm
Ship Height	64 cm
Ship Weight	129.8 kg
Ship Method	Ltl Common Carrier
Shipping Package Type	Pieces

PRODUCT CERTIFICATION ICONS

IP24 Made in UK UK CA

ENERGY SPECIFICATIONS

Primary Energy Type	Electric
Electrical Volts	230-400V

ADDITIONAL TECHNICAL SPECIFICATIONS

Cooking Area Plate Depth	890 mm
Cooking Area Plate Width	600 mm
Plate Thickness	15 mm
Temperature Minimum	90 °C
Temperature Maximum	300 °C

bidding specifications


Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated

LINCAT OPUS ELECTRIC COUNTER-TOP GRIDDLE - CHROME PLATE - W 900 MM - 12.0 KW

MODEL: OE8206/C

TECHNICAL DRAWING



Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated