LINCAT OPUS ELECTRIC COUNTER-TOP GRIDDLE - RIBBED PLATE - W 900 MM - 12.0 KW

MODEL: OE8206/R

AIA FILE NUMBER:

ITEM NUMBER:



UKWith a half ribbed plate option for attractive branding presentation marks, the Opus 800 Electric Ribbed Plate Griddle is designed to create appetizing food accurately. The griddle comes with a precise thermostatic control up to 300°C for consistent results and an economical operation. Perfect for any busy commercial kitchen, it utilizes a maximised cooking area, with the griddle plates to the sides of the unit.

Opus 800

PRODUCT OPTIONS AND ACCESSORIES

-
-
- OA8914/C Lincat Opus 800 Free-standing Floor Stand with Castors - for units W 900 mm
- OA8914 Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 900 mm
- OA8973/C Lincat Opus 800 Free-standing Pedestal with Doors and Castors - for units W 900 mm
- OA8973 Lincat Opus 800 Free-standing Pedestal with Doors and Legs - for units W 900 mm
- LK11 OPUS 800 LONG LEG KIT

PRODUCT FEATURES

- Half ribbed plate option for attractive branding presentation marks
- Maximised cooking area, griddle plates sit flush to the sides of the unit
- Precise thermostatic control up to 300°C for consistent results and economical operation

LINCAT OPUS ELECTRIC COUNTER-TOP GRIDDLE - RIBBED PLATE - W 900 MM - 12.0 KW

MODEL: OE8206/R

WEIGHTS & DIMENSIONS

Product Width	900 mm
Product Depth	800 mm
Product Height	428 mm
Product Dimensions (WxDxH) (mm)	900 Millimeter X 800 Millimeter X 428 Millimeter
Product Weight	109 kg
Product Clearance Required: Top	1,000 mm
Product Clearance Required: Back	100 mm
Product Clearance Required: Left Side	100 mm

SHIPPING DETAILS

Ship Width	100 cm
Ship Depth	85 cm
Ship Height	64 cm
Ship Weight	119.9 kg
Ship Method	Ltl Common Carrier
Shipping Package Type	Pieces

PRODUCT CERTIFICATION ICONS

IP24 Made in UK UK CA

ENERGY SPECIFICATIONS

Primary Energy Type	Electric
Electrical Volts	230-400V

ADDITIONAL TECHNICAL SPECIFICATIONS

Cooking Area Plate Depth	890 mm
Cooking Area Plate Width	600 mm
Plate Thickness	15 mm
Temperature Minimum	90 °C
Temperature Maximum	300 °C

bidding specifications


Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated

LINCAT OPUS ELECTRIC COUNTER-TOP GRIDDLE - RIBBED PLATE - W 900 MM - 12.0 KW

MODEL: OE8206/R

TECHNICAL DRAWING



Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated