LINCAT OPUS ELECTRIC FREE-STANDING PASTA COOKER - W 400 MM - 6.0 KW

MODEL: OE8701

AIA FILE NUMBER:

ITEM NUMBER:



Opus 800

UKIf you're looking for a pasta boiler, steamer and Bain Marie but don't have the space for all of these appliances, then you'll love the Opus 800 Electric Pasta Boiler, which can do all of these things. Whether you're cooking in a large pub or a restaurant, save valuable space with the flexible pasta boiler that's also a steamer and a Bain Marie. With direct connection to the water supply and waste, the boiler comes with a starch removal system to keep water fresh, as well as boil dry protection. Then there's the two position water setting, which allows for a fast fill or a trickle fill to maintain the water level while cooking.

PRODUCT OPTIONS AND ACCESSORIES

- OA8924 BASKET-PASTA BOILER - 143 x 288 x 230 DEEP
- OA8922 BASKET-PASTA BOILER - 298 x 328 x 230 DEEP
- OA8928 GASTRONORM & LID
- OA8925 PASTA BOILER BASKET 1/6 SQUARE - 143 x 163 x 230 DEEP

PRODUCT FEATURES

- Flexible can be used as a pasta boiler, steamer or bain marie, saving valuable space
- GN1/1 compatible
- Two position water setting: fast fill, or trickle fill for maintaining water level while cooking
- Direct connection to water supply and waste
- Starch removal system keeps water fresh
- Boil dry protection

Whisby Road, Lincoln, LN6 3QZ, UK
www.lincat.co.uk | p: +44 1522 875500

LINCAT OPUS ELECTRIC FREE-STANDING PASTA COOKER - W 400 MM - 6.0 KW

MODEL: OE8701

WEIGHTS & DIMENSIONS

Product Width	400 mm
Product Depth	800 mm
Product Height	1,020 mm
Product Dimensions (WxDxH) (mm)	400 Millimeter X 800 Millimeter X 1020 Millimeter
Product Weight	58 kg
Product Clearance Required: Top	1,000 mm
Product Clearance Required: Back	100 mm
Product Clearance Required: Left Side	100 mm

SHIPPING DETAILS

Ship Width	85 cm
Ship Depth	45 cm
Ship Height	122 cm
Ship Weight	64.24 kg
Ship Method	Small Parcel (Ups Fedex Dhl)
Shipping Package Type	Pieces

WATER, PLUMBING, AND DRAINAGE SPECIFICATIONS

Water Inlet Size	0.75 in
Water Inlet Pressure Minimum	0.2 Bar
Water Inlet Pressure Maximum	10 Bar

PRODUCT CERTIFICATION ICONS

Made in UK UKCA IP34

ENERGY SPECIFICATIONS

Primary Energy Type	Electric
Electrical Volts	230-400V

ADDITIONAL TECHNICAL SPECIFICATIONS

Capacity (Volume)	24
Temperature Minimum	130

bidding specifications


Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated

LINCAT OPUS ELECTRIC FREE-STANDING PASTA COOKER - W 400 MM - 6.0 KW

MODEL: OE8701

TECHNICAL DRAWING



Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated