



*Opus* 800

### PRODUCT OPTIONS AND ACCESSORIES

- OA8917/C Lincat Opus 800 Free-standing Floor Stand with Castors - for units W 600 mm
- OA8917 Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 600 mm
- OA8972/C Lincat Opus 800 Free-standing Pedestal with Doors and Castors - for units W 600 mm
- OA8972 Lincat Opus 800 Free-standing Pedestal with Doors and Legs - for units W 600 mm

### PRODUCT FEATURES

- Powerful 7.5kW dual concentric Burners for focused heat distribution from a fast boil to a low simmer
- Individual heavy-duty single cast iron supports, built to withstand the rigours of the busiest kitchen
- Low flue to allow use of the complete hob top

Perfect for large pubs and restaurants, school canteens, care homes and hospitals, the Opus 800 Gas 4 x Boiling Top comes with individual heavy-duty single cast iron supports, which are built to withstand the rigours of the busiest kitchen. With powerful 7.5kW dual concentric burners designed for focused heat distribution from a fast boil to a low simmer, you'll be cooking fabulous dishes in no time at all. The Boiling Top also features a low flue to allow use of the complete hob top.

AIA FILE NUMBER:

ITEM NUMBER:



# LINCAT OPUS NATURAL GAS COUNTER-TOP BOILING TOP - W 600 MM - 30.0 KW

## MODEL: OG8003/N

### WEIGHTS & DIMENSIONS

|        |        |
|--------|--------|
| Width  | 600 mm |
| Depth  | 800 mm |
| Height | 412 mm |
| Weight | 51 kg  |

### SHIPPING DETAILS

|                          |                                |
|--------------------------|--------------------------------|
| Ship Width               | 70 cm                          |
| Ship Depth               | 800 cm                         |
| Ship Height              | 64 cm                          |
| Ship Weight              | 56.1 kg                        |
| Ship Method              | Small Parcel (FedEx, UPS, DHL) |
| Shipping Package Type    | Pieces                         |
| Shipping Origin Zip Code | LN6 3QZ, UNITED KINGDOM        |
| Quick Ship Product       | No                             |

### PRODUCT CERTIFICATIONS



### ENERGY SPECS

|                            |             |                                     |                            |
|----------------------------|-------------|-------------------------------------|----------------------------|
| Primary Energy Type        | Gas         | Gas Inlet Size                      | 0.5 in                     |
| Electrical Kilowatts       | 30 kW       | Gas Inlet Pressure Required         | 20 mBar                    |
| Dedicated Circuit Required | No          | Gas Consumption at Max Use Per Hour | 2.7 m <sup>3</sup>         |
| Gas Type                   | Natural Gas | Total Heat Input at Max Use         | 30 kW, 102364 BTU per hour |
| Gas Total BTUs             | 102364 BTU  |                                     |                            |

### ADDITIONAL SPECIFICATIONS

|                                    |                 |                             |                |
|------------------------------------|-----------------|-----------------------------|----------------|
| Construction Materials             | Stainless Steel | Number of Hot Top Burners   | 4              |
| Control Type                       | Mechanical      | Number of Shelves           | Not Applicable |
| Cooking Plate Finish Material Type | Stainless Steel | Open or Sealed Burners      | Sealed         |
| Exterior Trim Finish Color         | Stainless Steel | Ventless Cooking Technology | No             |
| High Altitude Kit Available        | No              | Cooking Equipment           | Sealed Burner  |
| Number of Heating Zones            | 4               | BTUs Per Burner             | 7.5 KW         |

| SELECT COOKING EQUIPMENT | NUMBER OF | POWER RATING | ARRANGE-MENT | WIDTH  | DEPTH  |
|--------------------------|-----------|--------------|--------------|--------|--------|
| Sealed Burner 1          | 4         |              | Center       | 300 mm | 300 mm |

| SELECT BASE EQUIPMENT        | NUMBER OF | CUBIC CAPACITY EACH | WIDTH | DEPTH | HEIGHT |
|------------------------------|-----------|---------------------|-------|-------|--------|
| Not Applicable For This Item |           |                     |       |       |        |

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated  
March 25, 2025

#### BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

#### TECHNICAL DRAWING

