

MODEL: OG8004/P



Perfect for large pubs and restaurants, school canteens, care homes and hospitals, the Opus 800 Gas 6 x Boiling Top comes with individual heavyduty single cast iron supports, which are built to withstand the rigours of the busiest kitchen. With powerful 7.5kW dual concentric burners designed for focused heat distribution from a fast boil to a low simmer, you'll be cooking fabulous dishes in no time at all. The Boiling Top also features a low flue to allow use of the complete hob top.



PRODUCT OPTIONS AND ACCESSORIES

- OA8914/C Lincat Opus 800 Free-standing Floor Stand with Castors for units W 900 mm
- OA8914 Lincat Opus 800 Free-standing Floor Stand with Legs for units W 900 mm
- OA8973/C Lincat Opus 800 Free-standing Pedestal with Doors and Castors - for units W 900 mm
- OA8973 Lincat Opus 800 Free-standing Pedestal with Doors and Legs

 for units W 900 mm

PRODUCT FEATURES

- Powerful 7.5kW dual concentric Burners for focused heat distribution from a fast boil to a low simmer
- Individual heavy-duty single cast iron supports, built to withstand the rigours of the busiest kitchen
- Low flue to allow use of the complete hob top









MODEL: OG8004/P

WEIGHTS & DIMENSIONS	
Width	900 mm
Depth	800 mm
Height	412 mm
Weight	75 kg

SHIPPING DETAILS	
Ship Width	70 cm
Ship Depth	800 cm
Ship Height	64 cm
Ship Weight	82.5 kg
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS				
Primary Energy Type	Gas	Gas Inlet Size	0.75 in	
Electrical Kilowatts	40.8 kW	Gas Inlet Pressure Required	37 mBar	
Dedicated Circuit Required	No	Gas Consumption at Max Use Per Hour	2.92 m ³	
Gas Type	Propane	Total Heat Input at Max Use	40.2 kW, 137168 BTU	
Gas Total BTUs	137168 BTU	Total neat iliput at Max USE	per hour	

ADDITIONAL SPECIFICATIONS			
Construction Materials	Stainless Steel	Number of Hot Top Burners	6
Control Type	Mechanical	Number of Shelves	Not Applicable
Cooking Plate Finish Material Type	Stainless Steel	Open or Sealed Burners	Sealed
Exterior Trim Finish Color	Stainless Steel	Ventless Cooking Technology	No
High Altitude Kit Available	No	Cooking Equipment	Sealed Burner
Number of Heating Zones	6	BTUs Per Burner	7.5 KW

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING	ARRANGE- MENT	WIDTH	DEPTH
Sealed Burner 1		6	Center	300 mm	300 mm

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Not Applicable For This Item					

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated March 25, 2025







MODEL: OG8004/P


BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated March 25, 2025

