



Opus 800

PRODUCT OPTIONS AND ACCESSORIES

- LK06 OPUS 800 LEG KIT
- OA8980 SPLASHBACK/SHELF - OG8005

Designed for ultimate accuracy and versatility, the Opus 800 Solid Top Range with Cast Iron Plate provides chefs with more flexibility when it comes to the size and number of pans used. There's a profiled underside of the cast iron top for optimum heat circulation, while the powerful dual burner produces consistent heat gradient throughout the plate. Ideal for any busy commercial kitchen, the powerful oven has a large 4 x GN1/1 capacity.

AIA FILE NUMBER:

ITEM NUMBER:

PRODUCT FEATURES

- Ultimate flexibility use the smallest of pans to the largest of stock pots
 - Use the central area for rapid boiling and outer areas for simmering and holding
- Powerful 10kW dual Burner produces consistent heat gradient throughout the plate
- Profiled underside of cast iron top for optimum heat circulation
- Low flue to allow use of the complete hob top
- Powerful 9.5kW oven



LINCAT OPUS NATURAL GAS FREE-STANDING SOLID TOP OVEN RANGE [DROP-DOWN DOOR] - W 900 MM - 18.5 KW

MODEL: OG8005/N/DD

WEIGHTS & DIMENSIONS		SHIPPING DETAILS	
Width	900 mm	Ship Width	100 cm
Depth	800 mm	Ship Depth	800 cm
Height	900 mm	Ship Height	103 cm
Weight	154.5 kg	Ship Weight	169.95 kg
		Ship Method	LTL Common Carrier
		Shipping Package Type	Pieces
		Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
		Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY Specs	
Primary Energy Type	Gas
Electrical Kilowatts	18.5 kW
Dedicated Circuit Required	No
Gas Type	Natural Gas
Gas Total BTUs	63125 BTU
Gas Inlet Size	0.75 in
Gas Inlet Pressure Required	20 mBar
Gas Consumption at Max Use Per Hour	1.76 m ³
Total Heat Input at Max Use	18.5 kW, 63125 BTU per hour

ADDITIONAL SPECIFICATIONS	
Construction Materials	Stainless Steel
Control Type	Mechanical
Cooking Plate Finish Material Type	Cast Iron Plate
Exterior Trim Finish Color	Stainless Steel
Gastronorm Capacity	4 x GN1/1
High Altitude Kit Available	No
Number of Heating Zones	1
Number of Hot Top Burners	1
Number of Shelf Positions	4
Number of Shelves	2
Open or Sealed Burners	Sealed
Oven Power Rating	9.5 kW
Oven Temperature Minimum	120 °C
Oven Temperature Maximum	260 °C
Shelf Depth	512 mm
Shelf Width	710 mm
Ventless Cooking Technology	No
Cooking Equipment	Hot Plate
BTUs Per Burner	9 KW

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
March 25, 2025



**LINCAT OPUS NATURAL GAS FREE-STANDING SOLID TOP OVEN
RANGE [DROP-DOWN DOOR] - W 900 MM - 18.5 KW**

MODEL: OG8005/N/DD

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING	ARRANGE-MENT	WIDTH	DEPTH
Hot Plate	1		Center	900 mm	600 mm
SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Standard Oven 1	1		715 mm	800 mm	405 mm

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING