



Opus 800

PRODUCT OPTIONS AND ACCESSORIES

- LK06 OPUS 800 LEG KIT
- OA8980 SPLASHBACK/SHELF - OG8005

PRODUCT FEATURES

- Ultimate flexibility use the smallest of pans to the largest of stock pots
- Use the central area for rapid boiling and outer areas for simmering and holding
- Powerful 10kW dual Burner produces consistent heat gradient throughout the plate
- Profiled underside of cast iron top for optimum heat circulation
- Low flue to allow use of the complete hob top
- Powerful 9.5kW oven

AIA FILE NUMBER:

ITEM NUMBER:

WEIGHTS & DIMENSIONS

Product Width	900 mm
Product Depth	800 mm
Product Height	900 mm
Product Dimensions (WxDxH) (mm)	900 Millimeter X 800 Millimeter X 900 Millimeter
Product Weight	154 kg
Product Clearance Required: Top	1,000 mm
Product Clearance Required: Back	50 mm
Product Clearance Required: Left Side	50 mm

SHIPPING DETAILS

Ship Width	100 cm
Ship Depth	800 cm
Ship Height	103 cm
Ship Weight	169.95 kg
Ship Method	Ltl Common Carrier
Shipping Package Type	Pieces

PRODUCT CERTIFICATION ICONS



ENERGY SPECIFICATIONS

Primary Energy Type	Gas
Electrical Total Wattage	18,500
Electrical Kilowatts	18.5

ADDITIONAL TECHNICAL SPECIFICATIONS

Number of Burners	1
Oven Power Rating	9.5 kW
Oven Temperature Minimum	120 °C
Oven Temperature Maximum	260 °C
Shelf Depth	512 mm
Shelf Width	710 mm

SELECT_COOKING_EQUIPMENT	NUMBER_OF	POWER_RATING	ARRANGE- MENT_LEFT_OR_RIGHT	WIDTH	DEPTH
Hot_Plate	1	9.5kw	Center	900 mm	600 mm



LINCAT OPUS NATURAL GAS FREE-STANDING SOLID TOP OVEN
RANGE [DROP-DOWN DOOR] - W 900 MM - 18.5 KW

MODEL: OG8005/N/DD

SELECT_BASE_EQUIPMENT	NUMBER_OF	CAPACITY	WIDTH	DEPTH	HEIGHT
Standard_Oven_1	1		715 mm	800 mm	405 mm

bidding specifications

TECHNICAL DRAWING

